



WE ARE FR.
2023 PRODUCT CATALOG



SINCE '71



MORE PEOPLE ARM THEMSELVES WITH BULWARK® THAN ANY OTHER FR BRAND.

////

We are Bulwark. The world's leading flame-resistant (FR) apparel brand. And the relentless protectors of the people who power the world. From outfitting you with the finest, most advanced, most intuitively designed FR products ever made, to surrounding you with the industry's premier FR education programs and consultative services with over 50 years of frontline experience, we are your total FR solution. So when you see our triangle on your left, trust you've done everything right. Because with Bulwark, you are armed - literally, and figuratively - with the world's best.

SINCE '71



TABLE OF CONTENTS

- 07 FABRIC GUIDE
- 08 ICON LEGEND
- 10 iQ SERIES®
- 34 CANVAS COLLECTION
- 42 HI-VISIBILITY & RAINGEAR
- 52 INSECT SHIELD®
- 58 SHIRTS
- 80 PANTS
- 90 BIBS & COVERALLS
- 108 OUTERWEAR
- 130 WORK & LAB COATS
- 136 WOMEN'S
- 156 ACCESSORIES
- 162 CUSTOMIZATION
- 164 HOW TO MEASURE
- 166 FIT CHARTS
- 174 ADDITIONAL INFO
- 175 PRODUCT INDEX

SINCE '71



FABRIC GUIDE

Use our fabric guide to help you select the optimal Bulwark® fabric for any situation. Our comprehensive range of industry-leading options guarantees a perfect fit for a wide variety of industrial applications.

iQ SERIES®

iQ Series® products shift our collective mindset from the garment to the wearer and are designed to solve real-world problems. From the yarn blending to the fabric finishing, this product is created by a team of professionals with a hands-on approach. iQ products are created from blends of high performance fibers incorporated into superior fabrics. They are available in a variety of weights and are designed to achieve multiple industry standards.

EXCEL FR® 100% COTTON. 100% COMFORT. 100% FLAME-RESISTANT.

EXCEL FR® cotton garments offer unbeatable protection for foundries, flame cutting and welding, as well as electrical utilities and the chemical, oil, gas and petrochemical industries. All EXCEL FR® cotton apparel is permanently treated to guarantee flame resistance for the life of the garment.

EXCEL FR® COMFORTOUCH® COTTON'S COMFORT. NYLON'S DURABILITY.

This practical 88% Cotton/12% Nylon blend provides long-lasting protection for nearly all work environments. Ideal applications include ferrous metals, electrical utilities and the chemical, oil, gas and petrochemical industries. Every EXCEL FR® ComforTouch® garment is engineered to provide flame resistance for the life of the garment.

NOMEX® ESSENTIAL LIGHTWEIGHT. BREATHABLE. INHERENTLY FLAME-RESISTANT.

DuPont Nomex® Essential (93% Nomex® Aramid/5% Kevlar® Aramid/2% Anti-Static Fiber) garments are extremely durable. Nomex® Essential apparel is preferred by workers in petrochemical and refinery environments and makes a great choice for electric and gas utility workers.

COOLTOUCH® 2 DURABLE. WICKABLE. BLENDED INHERENT.

CoolTouch® 2 garments provide flame-resistant protection in a lightweight blended fabric (48% Modacrylic/37% Lyocell/15% Para-Aramid and 45% Modacrylic/35% Lyocell/15% Polyamide/5% Para-Aramid). The result – unbeatable softness coupled with lasting durability and available in CAT1 and CAT2 protection.

HI-VISIBILITY FR FLAME-RESISTANT. COMFORTABLE. COMPLIANT.

Bulwark® offers garments designed to provide additional wearer safety during periods of limited visibility or in the often complex and varying backgrounds found in many occupations such as traffic control, construction and utility work along roadways and equipment operation.

HI-VISIBILITY RAINWEAR BE SAFE. BE DRY. BE SEEN.

Flame-resistant rainwear from Bulwark® provides an effective barrier against rain and wind. Extra confidence comes from knowing these garments will not melt, drip or burn when exposed to an electrical arc or flash fire.

MOLTEN METAL® PROTECTION SHED MOLTEN ALUMINUM. CAST OFF CRYOLITE.

Because of its unique ability to shed molten aluminum as well as cryolite, specialized Molten Metal protective garments are used extensively throughout the aluminum casting industry. Our products are inherently flame-resistant, so their ability to protect will never be compromised by laundering.

FR DISPOSABLES PROTECT OTHER GARMENTS. PREVENT CONTAMINANT SOILING.

Sontara® Extend FR garments are water-repellent and made to withstand minor splashes without saturation to garments underneath. Use them to extend the life of more expensive thermal protective garments.

ELECTRICAL SWITCHING CLOTHING PROTECTION FOR MAXIMUM EXPOSURE.

For employees installing, maintaining or repairing high-voltage electrical systems, Bulwark's 40 cal/cm² electrical switching coat, bib and hood with face shield provide protection from extreme electrical arc risks.



ICON LEGEND

Throughout the catalog, you will notice different icons next to the product descriptions for our garments. The icons help you quickly determine new products, CAT protection, NFPA® 2112 Compliance and ISO/EN certification.

NEW

NEW PRODUCT FOR 2023

ARC RATINGS

Short sleeved FR shirts are not intended to be worn as single layer protection because they do not fully cover potentially exposed areas as completely as possible.

1 CAT

CATEGORY 1 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum Arc Rating of 4 cal/cm².

2 CAT

CATEGORY 2 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum Arc Rating of 8 cal/cm².

3 CAT

CATEGORY 3 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall, arc flash suit, balaclavas etc. selected so that the system arc rating meets a required minimum Arc Rating of 25 cal/cm².

4 CAT

CATEGORY 4 PROTECTION

Arc-rated FR long-sleeve shirt and pants or FR coverall, and arc flash suit selected so that the system arc rating meets a required minimum Arc Rating of 40 cal/cm². CAT4 outerwear is not equivalent to 40 cal switching gear/flash suit and does not offer equivalent protection to workers engaged in switching and/or similar activities.

CP 100

CP 100 PROTECTION

Garments that provide repellency for a low level of liquid chemical splash protection. They repel many but not all acids, corrosives, oxidizers and polar organic solvents¹, that typically have medium to high surface tension and medium to high polarity. Their application is only for inadvertent liquid chemical-splash of small volumes at atmospheric pressure. Garments that provide repellency for a low level of liquid chemical splash protection.

CLASSIFIED UL

NFPA® 2112 COMPLIANT

Bulwark® Protective Apparel offers flame-resistant protective garments that are certified by UL to meet the requirements of NFPA® 2112 Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposure from Fire. NFPA® 2113 Standard on Selection, Care, Use, and Maintenance of Flame-Resistant Garments for Protection of Industrial Personnel Against Short-Duration Thermal Exposure from Fire, requires that garments cover the upper and lower body and flammable underlayers as completely as possible. Bulwark® garments meet this requirement either as a single garment such as a coverall or when worn with another certified garment such as a shirt or pants to provide both upper and lower body coverage.

CE

Some Bulwark FR garments have been designed according to EU Regulation 2016/425 and specifically to the European Standards ISO 13688: 2013 (General Requirements for Protective Clothing), EN ISO 11611: 2015 (Protective Clothing for welding and associated activities), EN ISO 11612: 2015 (Protective Clothing for Industrial Workers exposed to heat and flame), and IEC 61482-2: 2018 (Protective Clothing against the thermal hazards of an electric arc) to the referenced performance levels. EU Type examination by a Notified Body has proven that the clothing meets the fundamental requirements as described in the European EU Regulation 2016/425. The CE mark is the visible sign of our compliant PPE.

WASH CODES

Do not use bleach, hydrogen peroxide, starch or fabric softeners on any Bulwark garment. Please visit bulwark.com for complete laundry instructions.

IL-HS

INDUSTRIAL LAUNDER - HEAVY SOIL: This method of laundering is commonly used to remove heavy soil with a combination of higher water temperature (160° F max) and harsher chemistry. pH should be held to 11.5 max. More aggressive wash formulas may be necessary to remove heavy soils but may result in accelerated color loss, deterioration in performance of retroreflective trim and overall reduced garment service life.

IL-LS


INDUSTRIAL LAUNDER - LIGHT SOIL: This less aggressive (industrial) laundering process is commonly used on uniforms which are lightly soiled or made of fabrics that are not designed to withstand higher wash temperatures or harsher chemistry. In a typical light soil formula, water temperatures are usually held to a maximum of 140° F and pH to 10.5 max.

HW


HOME WASH: A laundering process normally defined as washing in a residential type top- or front-loading unit followed by tumble drying. Detergents used in this process are formulated for home use and are readily available on the consumer market.

¹See bulwark.com/bulwark-cp for more information including a technical brief with a list of chemicals that have been tested.


ISO 13688:2013 - Protective clothing - General requirements

PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM
<ul style="list-style-type: none"> Innocuousness Design Comfort Ageing Sizes (body dimensions) Marking User info 	Compliant	


EN ISO 11612:2015 - Protective clothing against heat and flame

PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM
A = Limited flamespread (A1 = surface ignition, A2 = edge ignition) B = Convective heat (class 1-3) C = Radiation heat (class 1-4) D = Molten aluminium (class 1-3) E = Molten iron (class 1-3) F = Contact heat (class 1-3) "0" means no protection offered	A1 B1 C1 D0 E0 F0 F1	

IEC 61482-2:2018 - Live working - Protective Clothing against the thermal hazards of an electric arc

PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM
Arc thermal resistance on garment tested against: <ul style="list-style-type: none"> IEC 61482-1-1 ATPV method Min ATPV: 4 cal/cm Arc current: 8 kA Voltage: 2000 V Distance to sample: 30 cms Duration: 0,05-1,5 sec IEC 614825-1-2 Box test method Class 1-4 kA or Class 2-7 kA 	ATPV test method For individual ATPV ratings, see label sewn into garment	

EN ISO 11611:2015 - Protective clothing for welders

PERFORMANCE CLASSIFICATION	PERFORMANCE BULWARK FR	PICTOGRAM
A= Limited flame spread (A1= surface ignition, A2=edge ignition) Class 1: welding techniques with light spatter and drop formation e.g.: Operation of machines e.g.: <ul style="list-style-type: none"> Oxygen cutting machines Plasma cutting machines Resistance welding machines Machines for thermal spraying Bench welding Class 2: Welding techniques with heavy formation of spatter and drops e.g.: Operation of machines e.g.: <ul style="list-style-type: none"> In confined spaces At overhead welding/cutting or in comparable constrained positions 	A1 Class: 1	



iQ SERIES®



The industry's ongoing call for smarter FR deserves a revolutionary response. The Bulwark® iQ Series®. Every iQ garment is the product of a new way of thinking: Design to solve real world FR problems uncovered from first-hand, real-wear insights. Then employ the latest scientific advancements and fabric technologies to bring those designs to life. The future of FR is here. And it's brighter than ever before.

SINCE '71



iQ SERIES® COMFORT COLLECTION

Let's be honest, "comfort" isn't exactly the first word that comes to mind when most people in the safety industry think of FR. The iQ Series® Comfort Collection set out to change that, by combining revolutionary design features with lightweight and breathable fabrics, to make this collection the most comfortable FR on the market. Because the job isn't always comfortable, but that doesn't mean your FR workwear can't be.

VIEW THE COLLECTION: BULWARK.COM

QS24RB



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The men's shirt features larger chest pockets for more storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS24 - Men's (Reg) S-6XL. (Long) S-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Brown (BN), Navy (NV), Royal Blue (RB)



QS23NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The women's shirt features a Napoleon chest pocket for secure storage and is uniquely designed to fit a woman's body. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS23 - Women's (Reg) S-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QS50EV



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN ENHANCED VISIBILITY SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Enhanced Visibility Shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Grey Enhanced (EV), Navy Enhanced (NE)



NEW!

QS50DG



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG NV

QS51NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven Shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS51 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG NV

QS52LB



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirt is made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. The protection level is easily visible on the sleeve with exterior CAT2 and 2112 labels.

QS52 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Light Grey (LG)

KH LB LG

QS53KH



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven Shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS53 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KH)

KH

QS28RD



iQ SERIES® MEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven with Snap-Front Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features a banded collar, snap front closure, two large chest pockets with snap closure flaps that provide convenient storage, sewn-in pencil stall, multi-use utility loops in shoulder seams, and full underarm gussets keep your shirt from coming untucked.

QS28 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)

RD

QS27RD



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven with Snap-Front Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features a banded collar, snap front closure, vertical zipper pocket on left chest for secure storage, multi-use utility loops in shoulder seams, and full underarm gussets keep your shirt from coming untucked. Feminine fit.

QS27 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)

RD

QS26NV



**iQ SERIES® MEN'S
MIDWEIGHT COMFORT WOVEN SHIRT**

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features larger chest pockets for more storage and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS26 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QS25RB



**iQ SERIES® WOMEN'S
MIDWEIGHT COMFORT WOVEN SHIRT**

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The shirt is uniquely designed to fit a women's body. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing the garment to move with you without riding up, restricting your movement or coming untucked. Napoleon chest pocket provides secure storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS25 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QS26RE



NEW!



**iQ SERIES® MEN'S MIDWEIGHT
COMFORT WOVEN ENHANCED VISIBILITY SHIRT**

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Enhanced Visibility Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features larger chest pockets for more storage and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS26 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy Enhanced (NE), Royal Blue Enhanced (RE)



QT40CH



**iQ SERIES® MEN'S
COMFORT PLUS KNIT LONG SLEEVE HENLEY**

NFPA® 2112 Compliant

The iQ Series® Comfort Plus Knit Henleys are the next-generation of FR workwear. The lightweight, moisture-wicking material is the first of its kind—available exclusively with Westex G2™ fabrics by Milliken®. Underarm gussets allow you to stretch and reach, without your shirt riding up, while ribbing in the cuffs keeps your sleeves securely in place. The 4-button placket and contrast stitching give this henley a contemporary and stylish look, with the FR protection you expect from Bulwark. CAT2 and 2112 labels easily visible on the sleeve.

QT40 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 7.5 oz. (255 g/m²) 70% Cotton / 30% Polyester

Protection: Arc Rating E_{BT} 12 calories/cm²

Colors: Charcoal (CH), Khaki (KH)



QT34OR



**iQ SERIES® MEN'S
COMFORT KNIT TEE WITH REFLECTIVE TRIM**

NFPA® 2112 Compliant

Total visibility meets pure agility. Moisture-wicking and breathable, made exclusively with innovative Westex G2™ fabrics by Milliken®, this NFPA® 2112 compliant FR tee features hi-vis striping on top of the solid orange enhanced vis base. Rib knit collar and cuffs stay in place without rolling, and full underarm gussets make bending, stretching and reaching easy and comfortable.

QT34 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR) Stocked in Canada only.



QT37OR



**iQ SERIES® WOMEN'S
COMFORT KNIT TEE WITH REFLECTIVE TRIM**

NFPA® 2112 Compliant

The work tee that fits and feels like your favorite weekend tee shirt with all the FR protection your workday requires. Moisture-wicking, breathable fabric keeps you cool and comfortable. Uniquely feminine features make this a flattering improvement upon your everyday workwear. 360° degree visibility with front and back 2" flame-resistant silver segmented heat seal reflective striping.

QT37 - Women's (Reg) XS-2XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR) Stocked in Canada only.



iQ SERIES® COMFORT KNIT LONG SLEEVE HENLEY

1
MOISTURE-WICKING,
HIGHLY BREATHABLE FABRIC

2
EXTERIOR CAT2 & 2112
LABELS EASILY VISIBLE

3
CONCEALED SLEEVE POCKET

4
CONCEALED CHEST POCKET
WITH PENCIL STALL

5
FULL UNDERARM
GUSSETS ALLOW FOR
UNRESTRICTED MOVEMENT

6
HIDDEN RIB KNIT CUFFS
KEEP SLEEVES IN PLACE



QT20KH



iQ SERIES® MEN'S COMFORT KNIT LONG SLEEVE HENLEY


NFPA® 2112 Compliant

QT20 - Men's (Reg) S-4XL. (Long) L-3XL.
Fit Chart MFC-03.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD)



FR PERFORMANCE TO
KEEP YOU COOL
WHEN THE TEMPS SOAR

QT12BL



QT30BK



QT32RD



iQ SERIES® MEN'S COMFORT KNIT LONG SLEEVE POLO

NFPA® 2112 Compliant

A comfortable, casual polo shirt made for FR compliance. Believe it. The iQ Series® Comfort Knit Polo is designed so you can enjoy the lightweight, moisture-wicking material all year round. Underarm gussets allow you to reach, without your shirt coming untucked, while hidden ribbing in the cuffs keeps long sleeves in place. The zipper placket gives these shirts a contemporary and stylish look with CAT2 and 2112 labels easily visible on the sleeve.

QT12 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD)



iQ SERIES® MEN'S COMFORT KNIT SHORT SLEEVE T-SHIRT

NFPA® 2112 Compliant

Your everyday t-shirt, reinvented for work. The iQ Series® Comfort Knit T-Shirt is available in both short and long sleeve variations, so you can enjoy the lightweight, moisture-wicking material all year round. Underarm gussets allow you to reach, without your shirt coming untucked. Contrast stitching gives these shirts a contemporary and stylish look, while a concealed chest pocket with pencil stall provides safe storage. Protection level is clearly marked with CAT2 and 2112 labels easily visible on the sleeve.

QT30 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB)

Not intended to be worn as a single layer.



iQ SERIES® MEN'S COMFORT KNIT LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

Your everyday t-shirt, reinvented for work. The iQ Series® Comfort Knit T-Shirt is available in both short and long sleeve variations, so you can enjoy the lightweight, moisture-wicking material all year round. Underarm gussets allow you to reach, without your shirt coming untucked, while hidden ribbing in the cuffs keeps long sleeves in place. Contrast stitching gives these shirts a contemporary and stylish look, while a concealed chest pocket with pencil stall provides safe storage. Protection level is clearly marked with CAT2 and 2112 labels easily visible on the sleeve.

QT32 - Men's (Reg) S-4XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD)





iQ SERIES® COMFORT KNIT POLO & TEE



QT15KH



QT31CH



iQ SERIES® WOMEN'S COMFORT KNIT POLO WITH 4-BUTTON PLACKET

NFPA® 2112 Compliant

Revolutionary FR workwear designed for women. The QT15 polo is designed for fit and comfort, with FR compliance, of course. The 4-button placket allows you to button all the way up for maximum safety, or unbutton when you're out of the line of fire. Shirring at the back of this shirt, with a two-ply yoke creates a feminine silhouette, and the concealed rib knit cuffs stay in place all day long.


QT15 - Women's (Reg) XS-2XL.
Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BKB)*, Blue (BLB)*, Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD)

*Contact customer service for availability.



iQ SERIES® WOMEN'S COMFORT KNIT TEE

NFPA® 2112 Compliant

The work tee that fits and feels like your favorite weekend tee shirt with all the FR protection your workday requires. Moisture-wicking, breathable fabric keeps you cool and comfortable, while full underarm gussets and concealed rib knit cuffs allow you to move freely throughout the day. Uniquely feminine features, like a fishtail hem and rib knit collar make this a flattering improvement upon your everyday workwear.

QT31 - Women's (Reg) XS-2XL.
Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Charcoal (CH), Dark Blue (DB), Khaki (KH)



QP18NV



QP19NV



iQ SERIES® LIGHTWEIGHT COMFORT PANT

- 1 TRIPLE NEEDLE OUT AND INSEAM FOR EXTRA DURABILITY
- 2 CARGO POCKET WITH SNAP CLOSURE FOR SECURE STORAGE
- 3 JEAN STYLE CUT
- 4 UTILITY POCKET ON RIGHT LEG FOR QUICK ACCESS TO STORAGE
- 5 REINFORCED BACK PATCH POCKETS AND CARGO POCKET



iQ SERIES® MEN'S & WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. The Bulwark® iQ Series® Lightweight Comfort Pant is stylishly designed to keep you cool and in command all day long. This modern, straight fit jean style work pant features a one-piece waistband with wide belt loops, scoop front pockets, reinforced cargo pocket with snap closure on the left and patch hip pockets, a utility pocket on the right side plus triple needle out and inseam for extra durability.

QP18 - Men's 28-56 Even. Fit Chart K.

QP19 - Women's 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv™ 6.5 oz. 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.4 calories/cm²

Color: Navy (NV)



iQ SERIES[®] LIGHTWEIGHT COMFORT PANT

1
WIDE/LONG BELT LOOPS
TO FIT LARGER BELTS

2
JEAN STYLE CUT

3
FULL CROTCH GUSSET

4
CARGO POCKET WITH SNAP
CLOSURE FOR SECURE STORAGE

5
DOUBLE UTILITY POCKET FOR
QUICK ACCESS TO STORAGE

6
DOUBLE ARTICULATED KNEES
FOR EASE OF MOVEMENT AND
INCREASED MOBILITY



iQ SERIES[®] MEN'S & WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA[®] 2112 Compliant

Designed to keep you cool and in command all day long. This modern, straight-fit jean style work pant features a one-piece waistband with wide belt loops and a right front belt extension loop. Scoop front pockets, patch pocket hip pockets, a double utility pocket on the right side plus a cargo pocket with snap closure on left gives you a leg up on your storage needs. Double articulated knees and a full crotch gusset help make bending a breeze.

QP16 - Men's 28-56 Even. Fit Chart K.

QP17 - Women's 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with Nomex[®] Comfort fabrics by DuPont[®]. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®] / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)

NV RD RB



QP14NE



iQ SERIES[®] MEN'S LIGHTWEIGHT COMFORT ENHANCED VISIBILITY PANT

NFPA[®] 2112 Compliant

This iQ Series[®] Lightweight CAT2 pant is stylishly designed to keep you cool and in command all day long. It is NFPA[®] 2112 compliant, with a straight-fit, modern jean style.

QP14 - Men's (Reg) 28-56 Even. Fit Chart K.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NE)

NE

QP14BK



iQ SERIES[®] MEN'S LIGHTWEIGHT COMFORT PANT

NFPA[®] 2112 Compliant

This iQ Series[®] Lightweight CAT2 pant is stylishly designed to keep you cool and in command all day long. It is NFPA[®] 2112 compliant, with a straight-fit, modern jean style.

QP14 - Men's (Reg) 28-56 Even. Fit Chart K.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Black (BK), Navy (NV)

BK NV

QP15NV



iQ SERIES[®] WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA[®] 2112 Compliant

This iQ Series[®] Lightweight Pant is stylishly designed for women. With a more feminine cut, they'll keep you cool and in command all day long.

QP15 - Women's 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NV)

NV



iQ SERIES[®] MOBILITY COLLECTION

The iQ Series[®] Mobility Collection is Bulwark[®] innovation in action. We studied the way you move, reach, bend and lift to create an all new line of FR workwear that not only keeps you protected from thermal hazards, but makes your workday a little easier, too. With gussets and pleats in all the right places, garments in the Mobility Collection won't ride up or restrict your range of motion. So you can go about your work with complete comfort and compliance.

VIEW THE COLLECTION: BULWARK.COM

QC20EV



NEW!



iQ SERIES[®] MEN'S ENHANCED VISIBILITY MOBILITY COVERALL

NFPA[®] 2112 Compliant

The iQ Series[®] Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Grey Enhanced (EV), Navy Enhanced (NE)



QC21DG



iQ SERIES[®] WOMEN'S MOBILITY COVERALL

NFPA[®] 2112 Compliant

The iQ Series[®] Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC21 - Women's (Reg) XS-2XL. Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



QC20NV



iQ SERIES[®] MEN'S MOBILITY COVERALL

NFPA[®] 2112 Compliant

The iQ Series[®] Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)





QC24RB



iQ SERIES® MEN'S LIGHTWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Lightweight Mobility Coverall was built for comfort and functionality. The 4.5 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features special design features in the lower torso that gives the wearer room to squat. It also features a patented sleeve pleat that allows the arm full range of motion and the mobility design gives plenty of room for movement. The full design comes together to help you move, bend and work in comfort.

QC24 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QC23NV



iQ SERIES® WOMEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Women's Midweight Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC23 - Women's (Reg) XS-2XL. Fit Chart LFC-05.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



QC22RD



iQ SERIES® MEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Midweight Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC22 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



QC22RE



NEW!



iQ SERIES® MEN'S MIDWEIGHT ENHANCED VISIBILITY MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Midweight Enhanced Visibility Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC22 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy Enhanced (NE), Royal Blue Enhanced (RE)





iQ SERIES[®] ENDURANCE COLLECTION

FR workwear won't pass muster if it doesn't last. The iQ Series[®] Endurance Collection is a line of durable FR without the tradeoffs and compromises traditionally associated with durability. iQ's revolutionary dual elemental protection penetrates FR chemistry deep into the fiber of the fabric without adding weight, while the addition of polyester improves strength and overall durability, so you can be confident your FR protection will last every bit as long as you do.

VIEW THE COLLECTION: BULWARK.COM

iQ SERIES[®] ENDURANCE UNIFORM SHIRT



- 1 BANDED, BUTTON-DOWN COLLAR
- 2 GAS MONITOR POCKET AT FRONT SHOULDERS FOR CONVENIENT STORAGE
- 3 EXTERIOR CAT2 & 2112 LABELS EASILY VISIBLE
- 4 LEFT CHEST NAPOLEON POCKET WITH ZIPPER CLOSURE
- 5 FULL UNDERARM GUSSETS ALLOW FOR UNRESTRICTED MOVEMENT



iQ SERIES[®] MEN'S ENDURANCE UNIFORM SHIRT

NFPA[®] 2112 Compliant

Presenting the button down that keeps you looking buttoned up – the Bulwark[®] iQ Series[®] Endurance Uniform Shirt. Its banded, button down collar and overall styling lend a clean, modern, professional look. Its reinforced left chest Napoleon pocket, front shoulder gas monitor pocket and patch chest pocket with integrated pencil stall keep convenient storage within easy reach. And speaking of reach, its full underarm gussets add range to yours. So you can go all out, while staying tucked in.

QS42 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-77.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)





QS40GE



**iQ SERIES® MEN'S
ENDURANCE ENHANCED
VISIBILITY WORK SHIRT**

NFPA® 2112 Compliant

Enhanced visibility meets enhanced versatility with this popular Bulwark® iQ Series® Work Shirt. Full underarm gussets give you a greater range of reach while remaining tucked. Plus, a gas monitor pocket at the front shoulders, reinforced front pockets and a patch chest pocket with an integrated pencil stall give you convenient, safe storage options in every direction. Triple-needle seams add that extra degree of durability that ensure every Bulwark® iQ Series® Endurance offering lives up to its name.

QS40 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-77.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GE), Navy (NE)



**iQ SERIES®
ENDURANCE WORK SHIRT**

QS40NV



QS41KH



**iQ SERIES® MEN'S
ENDURANCE WORK SHIRT**

NFPA® 2112 Compliant

This CAT2 iQ Series® work shirt was designed especially for hard work, with comfort and durability built to last. Mobility features like underarm gussets make moving, bending and working a little bit easier.

QS40 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-77.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)



**iQ SERIES® WOMEN'S
ENDURANCE WORK SHIRT**

NFPA® 2112 Compliant

An FR shirt with a feminine look and feel? You better believe it. The iQ Series® Women's Endurance Work Shirt is made for a woman's body with princess seams at the front for a more feminine fit, but you'll still get all the protection of Bulwark® FR gear and the comfort of our iQ Series®, made exclusively with Westex G2™ fabrics by Milliken®. Full underarm gussets allow you to move freely, while a sleeve pocket gives you easy access to storage. And because it's part of the iQ Series® Endurance line, this shirt can take as many washes as you can give it without losing its FR protection.

QS41 - Women's (Reg) XS-3XL.
Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)





QC10NV



iQ SERIES® MEN'S ENDURANCE PREMIUM COVERALL

NFPA® 2112 Compliant


The iQ Series® Endurance Premium Coverall doesn't just perform on the job, it continues to perform wear after wear, no matter how many times you wash it. This premium coverall features a two-way concealed Nomex® taped brass breakaway front zipper and concealed snap at neck for complete FR protection. Eleven total pockets, including a Napoleon chest pocket and a right front bag pocket with cell phone interior pocket, allow for maximum storage and convenience throughout the day. Side vent openings, elastic back waist and a deep-pleated back yoke all come together to help you move, bend and work better.

QC10 - Men's (Reg) 38-64. (Long) 42-66. Fit Chart MFC-81.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Navy (NV)



iQ SERIES® ENDURANCE WORK PANT



- 1 EXTENSION BELT LOOP FOR WIDER BELTS
- 2 REINFORCED POCKETS FOR ADDED DURABILITY
- 3 CROTCH GUSSET FOR MOBILITY
- 4 TRIPLE NEEDLE SEAMS FOR EXTRA DURABILITY



iQ SERIES® MEN'S & WOMEN'S ENDURANCE WORK PANT

NFPA® 2112 Compliant

Built to work. Built to last. Bigger belt loops, triple-needle felled outseams and seat seam keep your act together for all day comfort and performance, without the fatigue or the fraying. Plus, reinforced pocket bags double down on durability. And looking for greater function, without the malfunction? This work pant features an ultra-convenient concealed button, pocket-in-pocket and utility loop that serves you well while you do the work. Last but not least, this pant features a crotch gusset for greater freedom of movement.

QP10 - Men's (Reg) 28-36, 38-56 Even. Fit Chart I.

QP11 - Women's (Reg) 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (305 g/m²) 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 10 calories/cm²

Color: Navy (NV)





CANVAS COLLECTION

Bulwark's Canvas Collection blends the classic look and unbeatable durability of brown duck workwear with Bulwark's proven FR protection. Reinforced with double fabric in heavy wear areas and triple-needle topstitching throughout, this collection is designed to withstand maximum wear and tear, without sacrificing style or safety.

SINCE '71



LLS8BD



NOT INTENDED TO BE WORN AS A SINGLE LAYER



BROWN DUCK VEST JACKET LINER

NFPA® 2112 Compliant

Concealed snap-front closure. Rib knit collar. Two large inset slash-welted pockets. One inside chest pocket. Snaps into JLB6 jacket sold separately. DWR (Durable Water Repellent).

LLS8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Insulation: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD

VLS2BD



NOT INTENDED TO BE WORN AS A SINGLE LAYER



SHERPA LINED BROWN DUCK VEST

NFPA® 2112 Compliant

This full-zip CAT3 vest is lined with soft Sherpa fabric with a Nomex® taped brass zipper and storm flap and is NFPA® 2112 compliant. It offers excellent FR protection, with great comfort. DWR (Durable Water Repellent).

VLS2 - Men's (Reg) S-2XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water Repellent

Insulation: Flame-resistant, 13 oz. (440 g/m²) Sherpa Blend

Protection: Arc Rating E_{BT} 33 calories/cm²

Color: Brown Duck (BD)

BD

JLB6BD



BROWN DUCK LINED BOMBER JACKET

NFPA® 2112 Compliant

Flame-resistant, lay-flat collar. Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH4 and liners LLS8, LNL8 and LNS8 sold separately. DWR (Durable Water Repellent).

JLB6 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD

JLC6BD



BROWN DUCK LINEMAN'S COAT

NFPA® 2112 Compliant

Concealed, snap-front, storm flap closure. Lanyard access opening on center back, accommodates safety harness. Updated cuff construction. Accommodates snap-on hood HLH4 and vest jacket liner LLS8, sold separately. DWR (Durable Water Repellent).

JLC6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 6.5 oz. (220 g/m²) 70% Nomex® / 30% FR Lenzing®

Protection: Arc Rating ATPV 41 calories/cm²

Color: Brown Duck (BD)

BD

JLH6BD



INSULATED BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

All main seams have triple-needle topstitching. Rib knit sleeve cuffs and waistband. Concealed hook-and-loop front storm flap closure. Two large side pockets. Two inside chest pockets.

JLH6 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (185 g/m²) Quilted Modacrylic Blend Insulation

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)



JLH4BD



Lanyard access opening on center back, accommodates safety harness



BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks. DWR (Durable Water Repellent).

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)



HLH4BD



BROWN DUCK UNIVERSAL FIT SNAP-ON HOOD

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB6 and JLC6, sold separately. DWR (Durable Water Repellent).

HLH4 - Men's One size.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) 50% Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)





BLF6BD



BROWN DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers to knee. Elastic suspenders.

BLF6 - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 13 oz. (440 g/m²) Duck, 100% Cotton

Protection: Arc Rating ATPV 16 calories/cm²

Color: Brown Duck (BD)

BD



BLF8BD



DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. Two large center front pockets with pencil stall.

BLF8 - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)

BD

NV



BLN4BD



BROWN DUCK DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

If you're looking for the ultimate in rugged durability, warmth, and FR protection, then this heavyweight brown duck bib overall is made for you. With CAT4 protection, insulation throughout and side vent openings, these overalls will keep you warm and comfortable while they protect you.

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD



BLN6BD



INSULATED BROWN DUCK BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers. Elasticized shoulder straps with non-conductive adjustable hardware. Quilted lining from waist to ankle. Leg zippers to thigh.

BLN6 - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (186 g/m²) 44% Cotton / 6.5% Nylon / 46% Modacrylic / 3.5% Polyester with 6 oz. (203 g/m²) 88% Cotton / 12% Nylon face fabric

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD



PLJ6KH



LOOSE FIT MIDWEIGHT CANVAS JEAN

NFPA® 2112 Compliant

Comfortable broken-in fabric. Light duck summer option. All main seams have triple-needle topstitching.

PLJ6 - Men's 30-36, 38-54 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 8.5 oz. (290 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH

NV



PLJ8BD



DUNGAREE

NFPA® 2112 Compliant

Five jean-style pockets. Rule pocket and utility pocket on right leg. Hammer loop and utility pocket on left leg. Triple-needle felled outseam.

PLJ8 - Men's 28-50 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)

BD

NV



HI-VISIBILITY & RAINGEAR

Don't get left in the dark. When you need to be seen, you can count on Bulwark® FR's Hi-Visibility workwear. Flame-resistant, comfortable and compliant, our Hi-Visibility collection is designed to provide extra safety for FR environments with limited visibility or complex backgrounds like oil & gas extraction, oil & gas refining, mining, construction and utility work.

SINCE '71





SLB4HG



HI-VISIBILITY COLOR BLOCK UNIFORM SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant heat seal silver reflective striping. Banded, topstitched collar. Topstitched cuffs with button closure. Hemmed front with button closure. Tailored sleeve placket. Full underarm gussets. Color block shirt with hi-vis top half and grey bottom half to conceal dirt and stains. Napoleon pocket at left front with zipper closure, right front chest pocket with pencil stall.

SLB4 - Men's (Reg) M-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow/Grey (HG)

HG



SMW4HV



HI-VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant silver reflective striping. Two-piece, lined collar. Two chest pockets with button closures and sewn-in pencil stall. Button-front closure. Lined cuff with button closure.

SMW4 - Men's (Reg) M-3XL. (Long) M-3XL. Fit Chart MFC-46.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV



SMK8HV



HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" silver heat seal reflective trim. Full underarm gusset. Left chest pocket with pencil stall. Rib-knit collar and cuffs.

SMK8 - Men's (Reg) M-5XL. (Long) L-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV



SML4HV



HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE HENLEY

NFPA® 2112 Compliant

360° visibility with front and back 2" segmented heat seal reflective trim. Four-button henley placket. Left chest pocket with pencil stall. Full underarm gussets. Rib knit collar and cuffs.

SML4 - Men's (Reg) M-5XL. (Long) L-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV



SMB2HN



HI-VISIBILITY LIGHTWEIGHT COLORBLOCK LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" segmented heat seal reflective trim. Left chest pocket with pencil stall. Rib-knit collar and cuffs. Colorblocked to hide dirt and stains in key areas.

SMB2 - Men's (Reg) M-5XL. (Long) L-5XL. Fit Chart MFC-03.

Fabric: (Yellow) Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
(Navy) 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{arc} 8.2 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Navy (HN)

HN

NEW!



SMH4HV



HI-VISIBILITY PULLOVER HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

When hi-vis and fleece come together, the result is fewer layers and more comfort. Think of this as your favorite FR hooded sweatshirt combined with your hi-vis vest. CAT3 protection meets ANSI 107 Type R Class 3 compliance with 2" reflective striping for 360° visibility. Durable Water Repellent (DWR) Finish.

SMH4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Protection: Arc Rating ATPV 27 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMZ4HV



HI-VISIBILITY ZIP-FRONT HOODED FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

This fleece hoodie is the ultimate combination of FR protection, hi-vis compliance and comfort, for extra cold days on the job. With CAT4 protection and ANSI 107 Type R Class 3 compliance, plus waffle knit lining for an extra layer of warmth. Durable Water Repellent (DWR) Finish.

SMZ4 - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant

Shell: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Lining: Waffle, 100% FR Cotton 7.6 oz (215 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMB4HG



HI-VISIBILITY COLOR BLOCK PULLOVER FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This hooded color-blocked pullover sweatshirt is the ultimate combination of FR protection, hi-vis compliance and comfort. Made of warm, stylish fleece, lined with knit waffle. Durable Water Repellent* (DWR) Finish on Hi-Vis Yellow. *Grey fabric does not contain DWR finish.

SMB4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: **(Hi-Vis Yellow)** 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex. DWR finish. **(Grey)** 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex brushed fleece. No DWR finish.

Lining: Waffle, 100% FR Cotton 7.6 oz (255 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HG)

HG



JMJ6HV



HI-VISIBILITY LINED BOMBER JACKET

NFPA® 2112 Compliant

360° visibility with front and back 2" silver reflective striping. DWR (Durable Water-Repellent) finish. Separating, heavy-duty, Nomex® taped brass zipper, fully covered with two-layer storm flap, concealed snap closure. Two-layer stand-up collar. Two-layer concealed snap cuff. Two large external patch pockets, with concealed snap secured flaps with hand warmers. One inside chest pocket. Deep-pleated action back. Fully-tunneled elasticized waistband. Inside zipper guards on all zippers. Accommodates snap-on hood HMM2HVB and liners LNL8, LNS8 sold separately.

JMJ6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 31 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

VMS4HV



MUST BE WORN OVER AN NFPA® 2112 COMPLIANT SHIRT



HI-VISIBILITY INSULATED VEST

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

Serious FR protection combined with high visibility and insulation to keep you extra warm in this CAT4 vest, with all the bells and whistles, so you can do your best work. ANSI 107 Type R Class 2 Compliant and water repellent, so you can stay seen, safe and dry while you work.

VMS4 - Men's (Reg) M-3XL. (Long) L-2XL.
Fit Chart MFC-17.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: 14 oz. (405 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

VMV4HV



MUST BE WORN OVER AN NFPA® 2112 COMPLIANT SHIRT



HI-VISIBILITY SAFETY VEST

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

FR and high visibility get together in this CAT2, ANSI 107 Type R Class 2 compliant dual-hazard safety vest with hook-and-loop front closure and adjustable sides for a comfortable and safe fit.

VMV4 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL.
Fit Chart MFC-18.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

HI-VIS ICON LEGEND



Intended for use by personnel exposed to vehicular traffic from public access rights of way or roadway temporary traffic control zones. Class 2 garments require the use of greater amounts of hi-visibility materials than Class 1 apparel, which help distinguish between a human and an inanimate object.



Intended for use by personnel exposed to vehicular traffic from public access rights of way or roadway temporary traffic control zones. Class 3 garments mandate the greatest amount of hi-visibility material for workers in moving, complex backgrounds, including reflective striping on sleeves and pant legs (if present).



Pants, bib overalls, shorts and gaiters meeting minimum area requirements for background material and retroreflective trim. Class E apparel, however, cannot be worn alone to provide adequate visibility of workers. When Class E items are worn with Performance Class 2 or Class 3 apparel, the overall classification of the ensemble is Performance Class 3.

CMD8HV



- 1 ONE-PIECE, TOPSTITCHED, LAY-FLAT COLLAR
- 2 TWO, DOUBLE-NEEDLE TOPSTITCHED PATCH CHEST POCKETS WITH FLAPS
- 3 TWO-WAY CONCEALED NOMEX® TAPED BRASS BREAK-AWAY ZIPPER
- 4 ANSI 107 TYPE R CLASS 3 COMPLIANT
- 5 360° VISIBILITY WITH FRONT & BACK 2" REFLECTIVE STRIPING



HI-VISIBILITY DELUXE COVERALL

NFPA® 2112 Compliant

360° visibility with front and back 2" silver reflective striping. One-piece, topstitched, lay-flat collar. One-piece bi-swing action back. Two-way concealed Nomex® taped brass break-away zipper, concealed snap at top of zipper at neck. Concealed snap closure on sleeve cuff. Two, double-needle topstitched patch chest pockets with flaps and concealed snap closure. Two front swing pockets are topstitched and lined. Two patch hip pockets have single concealed snap closure. One sleeve pocket sewn to left bicep with pencil stall. Rule pocket on right leg. Elastic waist inserts in back.

CMD8 - Men's (Reg) 38-58 Even. (Long) 42-58 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Para-Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV



JXN4YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

JXN4 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 9.8 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



BXN4YE

MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET



HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN4 - Men's (Reg) S-6XL. Fit Chart MFC-51.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 9.8 calories/cm²
ANSI/ISEA 107 Class E
(Type R Class 3 when worn with JXN4YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



JXN6YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood. 360° visibility with front and back 1½" reflective striping. Tuck away roll-up hood.

JXN6 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit, Water-repellent

Protection: Arc Rating ATPV 8.5 calories/cm²
ANSI/ISEA 107 Type R Class 2 Compliant
(Type R Class 3 when worn with BXN6)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



BXN6YE

MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET



HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN6 - Men's (Reg) S-6XL. Fit Chart MFC-42.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit

Protection: Arc Rating ATPV 8.5 calories/cm²
ANSI/ISEA 107 Class E Compliant
(Type R Class 3 when worn with JXN6YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



insect shield[®]

Those who work in the great outdoors know, there's one particularly pesky downside to all that fresh air: insects. That's why we're proud to introduce our new line of FR workwear using Insect Shield[®]. This technology is proven to effectively repel insects ranging from mosquitos to ticks and flies to chiggers, with protection that lasts through 50 home washes. So you can work pest-free and confidently compliant.

SINCE '71



iQ SERIES® MENS & WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

QS50 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-77.

QS51 - Women's (Reg) XS-3XL.
Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid /
25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI

QT20CI



iQ SERIES® MEN'S COMFORT KNIT LONG SLEEVE HENLEY WITH INSECT SHIELD®

NFPA® 2112 Compliant

Raglan sleeves. Hidden rib knit cuffs.

QT20 - Men's (Reg) S-4XL. (Long) L-3XL.
Fit Chart MFC-03.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®.
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester /
6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Color: Charcoal (CI)

CI



iQ SERIES® MENS & WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

QS52 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-77.

QS53 - Women's (Reg) XS-3XL.
(Available in Khaki only) Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant,
5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Light Blue (BI), Light Grey (GI), Khaki (KI)

BI

GI

KI

QT31CI



iQ SERIES® WOMEN'S COMFORT KNIT TEE WITH INSECT SHIELD®

NFPA® 2112 Compliant

QT31 - Women's (Reg) XS-2XL.
Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®.
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester /
6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Color: Charcoal (CI)

CI

ISLSCH



INSECT SHIELD® LIGHTWEIGHT SOCK

ISLS - Unisex (Reg) M-L. Fit Chart MFC-102.

Fabric: 6 oz. (200 g/m²) 70% Viscose / 25% Polyester /
3% Rubber / 2% Spandex Elastane

Protection: Insect Shield. **NOT FLAME-RESISTANT.**

Color: Charcoal (CH)

CH

SMK8HI



MEN'S HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE T-SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

SMK8 - Men's (Reg) M-5XL. (Long) L-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic /
37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow/Green (HI)

HI

QP14NI



**iQ SERIES®
MEN'S LIGHTWEIGHT
COMFORT PANT
WITH INSECT SHIELD®**

NFPA® 2112 Compliant

QP14 - Men's
(Reg) 28-56 Even.
Fit Chart K.

Fabric: Exclusively with
Westex G2™ fabrics by Milliken®.
Flame-resistant, 6.9 oz.
(235 g/m²) 65% Cotton /
35% Polyester Ripstop Twill

Protection: Arc Rating
ATPV 9.0 calories/cm²

Colors: Black (BI),
Navy (NI)

BI NI

PEJ8DI



**MEN'S PRE-WASHED
DENIM DUNGAREE
WITH INSECT SHIELD®**

NFPA® 2112 Compliant

Sits at natural waist. Loose
seat and thigh. Wider leg
opening. Two deep scoop
pockets. Two oversized
reinforced hip pockets.
Rule pocket on right leg
with wrap around utility
pocket. Soft pre-wash
for comfort and look.

PEJ8 - Men's 28-50 Even.
Fit Chart A.

Fabric: Flame-resistant,
14.75 oz. (500 g/m²)
100% Cotton Denim

Protection: Arc Rating
ATPV 21 calories/cm²

Color: Blue Denim (DI)

DI

QP15NI



**iQ SERIES®
WOMEN'S
LIGHTWEIGHT
COMFORT PANT
WITH INSECT SHIELD®**

NFPA® 2112 Compliant

QP15 - Women's 0-24 Even.
Fit Chart LFC-02.

Fabric: Exclusively with
Westex G2™ fabrics by
Milliken®. Flame-resistant,
6.9 oz. (235 g/m²) 65%
Cotton / 35% Polyester
Ripstop Twill

Protection: Arc Rating
ATPV 9.0 calories/cm²

Color: Navy (NI)

NI

PSJ4SI



**MEN'S STRAIGHT FIT
STRETCH JEAN
WITH INSECT SHIELD®**

NFPA® 2112 Compliant

Sits just below natural waist.
Straight thigh and leg opening.
One-piece waistband with
metal button closure (metal
is not exposed to skin). Soft
pre-wash and sanded fabric
for modern look.

PSJ4 - Men's 30, 32-36,
38-50 Even. Hemmed.
Fit Chart L.

Fabric: Flame-resistant,
12 oz. (405 g/m²) 94% Cotton /
5% Polyester / 1% Spandex

Protection: Arc Rating
ATPV 15 calories/cm²

Color: Sanded Denim (SI)

SI

QC21DI



**iQ SERIES® WOMEN'S MOBILITY
COVERALL WITH INSECT SHIELD®**

NFPA® 2112 Compliant

QC21 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²)
50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI

QC20DI



**iQ SERIES® MEN'S MOBILITY
COVERALL WITH INSECT SHIELD®**

NFPA® 2112 Compliant

QC20 - Men's (Reg) S-4XL. (Long) M-4XL.
Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²)
50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI



SHIRTS

More styles. More colors.
More protection. Bulwark's FR shirts come in every style from sporty polos to professional uniform shirts, and modern henleys to long-wearing tees. So you can be cool, comfortable, and compliant. All year long.

SINCE '71

SNS6RDB

**SNAP-FRONT UNIFORM SHIRT**

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing.

SNS6 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-10.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NVB)*, Red (RDB)*, Royal Blue (RB), Tan (TNB)*

*Contact customer service for availability.



SES2TN

**SNAP-FRONT UNIFORM SHIRT**

NFPA® 2112 Compliant

This midweight NFPA® 2112 compliant, CAT1 uniform shirt offers a tailored, professional look with two chest pockets and sewn-in pencil stall for storing tools and personal effects.

SES2 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-10.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RB), Tan (TN)

*Contact customer service for availability.



SNS2NV

**SNAP-FRONT UNIFORM SHIRT**

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing.

SNS2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-10.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Light Blue (LBB)*, Navy (NV), Red (RD), Royal Blue (RB), Tan (TN)

*Contact customer service for availability.



SND2GB

**4.5 OZ. UNIFORM SHIRT**

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Tailored sleeve placket, topstitched cuffs and straight back yoke look sharp and professional while being protective.

SND2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-10.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Gulf Blue (GB), Navy (NV), Red (RDB)*, Royal Blue (RB), Tan (TN)

*Contact customer service for availability.



SMU4LB

**5.8 OZ. UNIFORM SHIRT**

NFPA® 2112 Compliant

Banded topstitched collar. Two chest pockets with button flap closures and sewn in pencil stall. Placket front with button closure. Tailored sleeve placket. Topstitched cuff with button closure.

SMU4 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-77.

Grey, Khaki, Light Blue:

Fabric: Flame-resistant, 5.8 oz. (200 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 6.5 calories/cm²

Navy:

Fabric: Flame-resistant, 5.8 oz. (200 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 7.1 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)



SND6RB

**6 OZ. UNIFORM SHIRT**

NFPA® 2112 Compliant

Enjoy this classic uniform shirt made to withstand your work while providing CAT1 protection and NFPA® 2112 compliance. It features a banded, topstitched collar as well as two chest pockets with button flap closures and sewn in pencil stall.

SND6 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-10.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RB)

*Contact customer service for availability.





SLU8NV



6 OZ. UNIFORM SHIRT

NFPA® 2112 Compliant

This uniform shirt offers a tailored, professional look plus advanced features like full underarm gussets, for comfort and ease of movement with CAT2 protection.

SLUB - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-10.

Fabric: Flame-resistant, 6 oz. (205 g/m²)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB),
Navy (NV), Orange (OR)



SLD6NK



6.5 OZ. PLAID UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, topstitched collar. Two chest pockets with flaps and button closure with sewn-in pencil stall. Placket front with button closure. Topstitched cuff with button closure. Tailored sleeve placket.

SLD6 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-10.

Fabric: Flame-resistant, 6.5 oz. (220 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.5 calories/cm²

Color: Navy/Khaki (NK)



SMUCNV



MEN'S DRESS UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Banded, topstitched collar. Two chest pockets with flaps and button closure with sewn-in pencil stall. Placket front with button closure. Topstitched cuff with button closure. Tailored sleeve placket.

SMUC - Men's (Reg) S-5XL. (Long) M-4XL.
Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic /
37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV). **Stocked in Canada only.**



SLDTGY



7 OZ. ENHANCED VISIBILITY UNIFORM SHIRT

NFPA® 2112 Compliant


When your work shirt is enhanced vis, the result is fewer layers and greater comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. CAT2 protection and NFPA® 2112 compliant, with 2" reflective striping for 360° visibility to keep you seen and safe.

SLDT - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-10.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)



SLUSOR



6 OZ. UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

An enhanced vis work shirt means you can skip the added vest. Think of this as your favorite FR work shirt combined with your enhanced vis vest, for fewer layers and greater mobility. 360° visibility with front and back 2" flame-resistant silver reflective striping.

SLUS - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-10.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). **Stocked in Canada only.**



SLATOR



7 OZ. ENHANCED VISIBILITY UNIFORM SHIRT

NFPA® 2112 Compliant

When your work shirt gets the hi-vis treatment, the result is fewer layers and more comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. CAT2 protection with 2" reflective striping for 360° visibility to keep you seen and safe.

SLAT - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Orange (OR)



SLEVKH



UNIFORM SHIRT

NFPA® 2112 Compliant

This CAT2 uniform shirt was designed especially for hard work, with comfort and durability built to last. Mobility features like underarm gussets make moving, bending and working a little bit easier.

SLEV - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV)



SLB4HG



HI-VISIBILITY COLOR BLOCK UNIFORM SHIRT

NFPA® 2112 Compliant

This is the next-generation of protection. FR and high visibility with a tailored, professional look and advanced features for comfort. Color-blocked hi-vis upper half provides ANSI/ISEA 107 Type R Class 3 compliancy, while grey lower half conceals dirt and stains.

SLB4 - Men's (Reg) M-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow/Grey (HG)



SLUCNV



7 OZ. DRESS UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

When your work shirt gets the enhanced vis treatment, the result is fewer layers and more comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. 360° visibility with front and back 2" flame-resistant yellow/silver/yellow reflective striping.

SLUC - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Navy (NV). **Stocked in Canada only.**



SEG2LD



DENIM DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, button-down collar. Tailored Sleeve placket. Topstitched cuff with button closure. Button-front placket.

SEG2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 8.1 calories/cm²

Color: Light Blue Denim (LD)



SEG6LB



5.25 OZ. DRESS SHIRT

Banded, topstitched, button-down collar. One chest pocket with button closure and sewn-in pencil stall. Placket front with button closure. Topstitched cuff with button closure. Tailored sleeve placket.

SEG6 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Color: Light Blue (LB)



SMU2LB



7 OZ. DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

This midweight dress uniform shirt offers a tailored, professional look with CAT2 protection and NFPA® 2112 compliance, plus underarm gussets for increased ease of movement.

SMU2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-77.

Khaki, Light Blue:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV)



SLP2KH



6.5 OZ. DRESS SHIRT

NFPA® 2112 Compliant

Looking to shake up your FR collection? This midweight dress shirt offers all the features you need in a professional work shirt, plus CAT2 protection and a stylish plaid pattern.

SLP2- Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-10.

Fabric: Flame-resistant, 6.5 oz (220 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.5 calories/cm²

Color: Khaki (KH)



SLU2SY



7 OZ. DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

This midweight uniform shirt gives a tailored look and offers features like full underarm gussets for improved comfort and performance with CAT2 protection.

SLU2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Royal Blue (RB), Silver Grey (SY)



SLW2RBB



7 OZ. WORK SHIRT

NFPA® 2112 Compliant

This is the go-to work shirt with CAT2 protection to keep you compliant. Two chest pockets with button flap closures and sewn-in pencil stall.

SLW2 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-46.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*


*Contact customer service for availability.



LIGHTWEIGHT STRETCH FABRIC
flexes with your body for added comfort and range of movement

REINFORCED CHEST POCKETS
with button flaps allows for convenient storage

SIDE SEAM GUSSETS
allows it to stretch freely without coming untucked



STG4NV



NEW!



FLEX KNIT BUTTON DOWN WORK SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Spandex-blend fabric and side seam gussets allows it to stretch freely without coming untucked. Two reinforced chest pockets with button flaps allows convenient storage. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site.

STG4 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²


Colors: Khaki (KH), Navy (NV)



BUTTON DOWN COLLAR
keeps you looking sharp and professional all day

FRONT POCKET
with Pencil Stall to keep everything handy

LIGHTWEIGHT STRETCH FABRIC
flexes with your body for added comfort and range of movement



STG2NV



FLEX KNIT BUTTON DOWN SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Spandex-blend fabric allows it to stretch freely. Button-down collar keeps you looking crisp and sharp all day. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site. Red buttonhole stitching and embroidery on right sleeve placket leave no doubt you're armed with the very best.

STG2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Navy (NV)





SWW2SY



WELDING WORK SHIRT

NFPA® 2112 Compliant

Two chest pockets with snap flap closures and sewn-in soapstone stall. Special gored sleeve opening. Square hemmed front with snap closure. Sleeve soapstone holder. Special application garment. Sleeves lined with TUFFWELD® fabric.

SWW2 - Men's (Reg) M-3XL.
Fit Chart MFC-09.

Shell: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Sleeve Lining: TUFFWELD® Flame-resistant, 8.5 oz. (300 g/m²) 60% FR Rayon / 40% Aramid

Protection: Arc Rating ATPV 7.7 calories/cm²

Color: Silver Grey (SY)



SEW2NV



7 OZ. WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents. Two chest pockets with button flap closures and sewn-in pencil stall.

SEW2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-46.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Silver Grey (SY)



SMS2GY



CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents.

SMS2 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-46.

Grey and Light Blue:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Grey (GY), Light Blue (LB), Navy (NV)



SLS2LB



CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents. Concealed gripper closures.

SLS2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-46.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Light Blue (LB), Navy (NV)



SMS6LB



ENHANCED VISIBILITY CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents.

SMS6 - Men's (Reg) S-3XL. (Long) M-XXL.
Fit Chart MFC-46.

Light Blue:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Light Blue (LB), Navy (NV)



SMW4HV



HI-VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

This hi-vis work shirt combines CAT2 protection with ANSI/ISEA 107 Type R Class 2 compliancy and a professional workwear look. 2" reflective striping offers 360° visibility to keep you seen and safe.

SMW4 - Men's (Reg) M-3XL. (Long) M-3XL.
Fit Chart MFC-46.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

ANSI/ISEA 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)



SAW2CHB



MOLTEN METAL WORK SHIRT

Special sleeve with gore. Special application garment.

SAW2 - Men's (Reg) S-2XL. (Long) M-2XL.
Fit Chart MFC-09.

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, 50% FR Rayon / 40% Wool / 10% Nylon

Protection: Arc Rating ATPV 6.2 calories/cm²

Color: Chambray (CHB)*

***Contact customer service for availability.**



SET8CH



NOT INTENDED TO BE WORN AS A SINGLE LAYER



SHORT SLEEVE T-SHIRT

NFPA® 2112 Compliant

Rib-knit crewneck collar. Hemmed sleeve. Single spade chest pocket. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

SET8 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Not intended to be worn as a single layer.

Colors: Charcoal (CH), Navy (NV)



SMT2NV



LONG SLEEVE PERFORMANCE T-SHIRT

NFPA® 2112 Compliant

Rib knit collar and cuffs. Raglan sleeves. Full side seam gusset.

SMT2 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 45% Modacrylic / 35% FR Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Colors: Grey (GY), Navy (NV)



SET2CH



LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

The most comfortable long sleeve T-shirt you'll ever wear—we even removed the tag for a non-itchy experience. This CAT2, NFPA® 2112 compliant tee features a heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment and rib knit cuffs.



SET2 - Men's (Reg) S-4XL. (Long) L-4XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Charcoal (CH), Navy (NV)





FRONT POCKET
has unique design with pencil stall

SIDE SEAMS
curve around torso for optimal fit

LIGHTWEIGHT STRETCH FABRIC
flexes with your body for added comfort and range of movement

THREE-BUTTON FRONT PLACKET
for enhanced appearance

FRONT POCKET
has unique design with pencil stall

SIDE SEAMS
curve around torso for optimal fit

LIGHTWEIGHT STRETCH FABRIC
flexes with your body for added comfort and range of movement

STT2NV

STL2CH



NEW!



FLEX KNIT TEE

NFPA® 2112 Compliant
Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement.
STT2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.
Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex
Protection: Arc Rating ATPV 8.3 calories/cm²
Colors: Charcoal (CH), Khaki (KH), Navy (NV) // **Coming soon!** Light Blue (LB)



NEW!



FLEX KNIT HENLEY

NFPA® 2112 Compliant
Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement.
STL2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.
Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex
Protection: Arc Rating ATPV 8.3 calories/cm²
Colors: Charcoal (CH), Khaki (KH), Navy (NV) // **Coming soon!** Light Blue (LB)



SEK2NV



MOCK TURTLENECK

NFPA® 2112 Compliant

Double-layer, rib knit collar sized to protect the neck. Rib knit cuffs.

SEK2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Color: Navy (NV)



SEL4NK



LONG SLEEVE COLOR BLOCK HENLEY

NFPA® 2112 Compliant

Three button placket. Knit henley collar. Rib knit cuff. Single spade chest pocket. Contrast raglan sleeves.

SEL4 - Men's (Reg) M-3XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Color: Navy/Khaki (NK)



SMT6KH



NOT INTENDED TO BE WORN AS A SINGLE LAYER



SHORT SLEEVE LIGHTWEIGHT KNIT T-SHIRT

Lightweight. Rib knit collar. Single chest pocket.


SMT6 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²

Not intended to be worn as a single layer.

Colors: Khaki (KH), Navy (NV)



SML2GY



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Raglan sleeves. Fabric is moisture wicking and breathable.

SML2 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Grey and Navy:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Khaki:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



SMT8NV



LONG SLEEVE LIGHTWEIGHT KNIT T-SHIRT


Lightweight. Rib knit collar and cuffs. Single chest pocket.

SMT8 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²

Colors: Khaki (KH), Navy (NV)



SML8KH



LONG SLEEVE LIGHTWEIGHT HENLEY

Rib knit collar and cuffs. Three button front placket. Single chest pocket.

SML8 - Men's (Reg) S-5XL. (Long) L-3XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²

Color: Khaki (KH)



SMP2KH



CLASSIC POLO

NFPA® 2112 Compliant

Three-button placket. Dyed to match rib knit collar and cuffs. Raglan sleeves. Sleeve pocket. Fabric is moisture-wicking and breathable.

SMP2 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Grey and Navy:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Khaki:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% aramid

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



SMP8NV



NOT INTENDED TO BE WORN AS A SINGLE LAYER



CLASSIC POLO

NFPA® 2112 Compliant

Three-button placket. Dyed to match rib knit collar and cuffs. Raglan sleeves. Sleeve pocket. Fabric is moisture-wicking and breathable.


SMP8 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Not intended to be worn as a single layer.

Colors: Grey (GY), Navy (NV)



SEL2LB



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Three button placket. Knit henley collar. Rib knit cuff. Single spade chest pocket.

SEL2 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 7.5 oz. (212.6 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV), Orange (OR)



MPS4KH



NOT INTENDED TO BE WORN AS A SINGLE LAYER



Contrast Mesh Full Underarm Gussets



FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET

Concealed chest pocket. Self-fabric crew neck collar. Raglan sleeves. Hemmed sleeves. Contrast mesh full underarm gussets. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

MPS4 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5.5 oz. (185 g/m²) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm²

Not intended to be worn as a single layer.

Colors: Grey (GY), Khaki (KH)



MPS8GY



Contrast Mesh Full Underarm Gussets



FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET

Concealed chest pocket. Self-fabric crew neck collar. Raglan sleeves. Hemmed sleeves. Contrast mesh full underarm gussets. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

MPS8 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5.5 oz. (185 g/m²) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm²

Colors: Grey (GY), Khaki (KH)





PANTS

Bulwark® FR pants and jeans are designed for work. With pockets in all the right places, fabric that moves with you, a modern fit and feel, plus all the FR protection you demand, our pants keep up with you, from work to play and back again.

SINCE '71

PEJ6SW



LOOSE FIT STONE-WASHED DENIM JEAN

NFPA® 2112 Compliant

Sits below natural waist. Loose seat and thigh. Wider leg opening than classic fit. Soft pre-wash and stone-washed fabric for comfort and look.

PEJ6 - Men's 28, 30-36, 38-50 Even. Fit Chart H.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Stone Wash (SW)

SW

PEJM5D



STRAIGHT FIT SANDED DENIM JEAN

Sits below natural waist. Straight thigh and leg opening. Fits over work boots. One-piece waistband with metal button closure (metal is not exposed to the skin). Soft pre-wash and sanded fabric for modern and comfortable look.

PEJM - Men's 28, 30-36, 38-50 Even. Fit Chart A.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 18 calories/cm²

Color: Sanded Denim (SD)

SD

PSJ2SD



BACK



RELAXED FIT BOOTCUT JEAN WITH STRETCH

NFPA® 2112 Compliant

Sits just below natural waist. Relaxed through waist, hip, and thigh. Bootcut leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash, sanded and tacked fabric.

PSJ2 - Men's 30, 32-36, 38-50 Even. Hemmed. Fit Chart L.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SD)

SD

PSJ4SD



BACK



STRAIGHT FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

Sits just below natural waist. Straight thigh and leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash and sanded fabric for modern look.

PSJ4 - Men's 30, 32-36, 38-50 Even. Hemmed. Fit Chart L.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SD)

SD

PSJ6SD



BACK

NEW!



STRETCH DENIM DUNGAREE

NFPA® 2112 Compliant

Relaxed through waist, hip, and thigh to allow for easy movement. Increased durability with triple needle felled outter and seat seams. Five jean style pockets, ruler pocket on right leg and utility pocket on left leg adds extra storage. Utility loop on left hip and reinforced pockets to prevent holes.

PSJ6 - Men's 30, 32-36, 38-50 Even. Hemmed. Fit Chart L.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SD)

SD

PEJ8DW



PRE-WASHED DENIM DUNGAREE

NFPA® 2112 Compliant

Sits at natural waist. Loose seat and thigh. Wider leg opening. Two deep scoop pockets. Two oversized reinforced hip pockets. Rule pocket on right leg with wrap around utility pocket. Soft pre-wash for comfort and look.

PEJ8 - Men's (Blue Denim) 28-50 Even, (Stone Wash) 30-50 Even. Fit Chart A.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Colors: Blue Denim (DW), Stone Wash (SW)

DW SW



PEJ2DD



RELAXED FIT DENIM JEAN

NFPA® 2112 Compliant

Sits at natural waist. Relaxed seat and thigh. Straight leg opening. One-piece waistband with button closure.

PEJ2 - Men's 28, 30-36, 38-50 Even. Fit Chart A.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 18 calories/cm²

Color: Dark Denim (DD)

DD

PEJ4DW



CLASSIC FIT PRE-WASHED DENIM JEAN

NFPA® 2112 Compliant

Sits at natural waist. Relaxed seat and thigh. Straight leg opening. Soft pre-wash for comfort and look.

PEJ4 - Men's 28, 30-36, 38-50 Even. Fit Chart H.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

DW

PNJ8RB



LIGHTWEIGHT JEAN PANT

NFPA® 2112 Compliant

One-piece waistband with sew on button closure. Five jean-style pockets. Two-needle felled seam construction.

PNJ8 - Men's 28-50 Even. Fit Chart A.

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 7.0 calories/cm²

Color: Royal Blue (RB)

RB

PLJ6KH



**LOOSE FIT
MIDWEIGHT CANVAS JEAN**

NFPA® 2112 Compliant

Comfortable broken-in fabric. Light duck summer option. All main seams have triple-needle topstitching.

PLJ6 - Men's 30-36, 38-54 Even. Fit Chart J.

Fabric: Flame-resistant, 8.5 oz. (290 g/m²) 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KH), Navy (NV)



PLC2NV



MIDWEIGHT CARGO PANT

NFPA® 2112 Compliant

Left and right cargo pocket have two snap closures.

PLC2 - Men's 28-36, 38-52 Even. Fit Chart B.

Fabric: Flame-resistant, 9 oz. (305 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV)



PLJ8BD



MIDWEIGHT DUNGAREE

NFPA® 2112 Compliant


Five jean-style pockets. Rule pocket and utility pocket on right leg. Hammer loop and utility pocket on left leg. Triple-needle felled outseam.

PLJ8 - Men's 28-50 Even. Fit Chart A.

Fabric: Flame-resistant, 11 oz. (390 g/m²) 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)



PMU2KH



LIGHTWEIGHT CARGO PANT

NFPA® 2112 Compliant

Waistband with concealed hook and eye closure. Two utility pockets. Left cargo pocket has two snap closures. Right utility pocket is open.

PMU2 - Men's 28-36, 38-52 Even. Fit Chart B.

Khaki:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)



PNW2RD



LIGHTWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with shank button closure. Two slack-style front pockets. Left hip pocket with button closure.

PNW2 - Men's 28-34, 36-50 Even. Fit Chart B.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



PMW2NV



LIGHTWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PMW2 - Men's 28-50 Even. Fit Chart B.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)



PEW2KH



MIDWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PEW2 - Men's 28-34, 36-50 Even. Fit Chart B.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*, Visual Green (VG)

***Contact customer service for availability.**



PLW2RBB



MIDWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with shank button closure. Two slack-style front pockets. Left hip pocket with button closure.

PLW2 - Men's 28-34, 36-50 Even. Fit Chart B.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RBB)*

***Contact customer service for availability.**



PEM2VG



MOLTEN METAL WORK PANT

NFPA® 2112 Compliant

Combine with work coat KEM2VG and KEM4VG on page 130.

PEM2 - Men's (Reg) 28-34, 36-52 Even. Fit Chart B.

Fabric: Flame Resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12 calories/cm²

Color: Visual Green (VG)





BIBS & COVERALLS

When you need serious protection, Bulwark® FR bibs and coveralls are a no-brainer. Available in a number of styles and protection levels, including options with Hi-Vis striping, multiple pockets for extra storage and with or without insulation. Our coveralls do just what the name says: they cover it all.

SINCE '71





BLF6BD



BROWN DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers to knee. Elastic suspenders.

BLF6 - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 13 oz. (440 g/m²) Duck, 100% Cotton

Protection: Arc Rating ATPV 16 calories/cm²

Color: Brown Duck (BD)

BD



BLF8BD



DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. Two large center front pockets with pencil stall.

BLF8 - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)

BD NV



BNF8NV



PREMIUM UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware.

BNF8 - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*

*Contact customer service for availability.

NV RBB



BLCSOR



DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Full, Nomex® taped, ankle-to-hip brass zippers with concealed closure. Elasticized shoulder straps with non-conductive adjustable hardware.

BLCS - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (474 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Color: Orange (OR)
Stocked in Canada only.

OR



BNNTRB



DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets with pencil stall.

BNNT - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Water-repellent Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Lining: 100% Meta-aramid

Insulation Package: 13.5 oz. (458 g/m²) 100% Aramid with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Color: Royal Blue (RB)
Stocked in Canada only.

RB



BLCTNV



DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Full, Nomex® taped, ankle-to-hip brass zippers with concealed closure. Elasticized shoulder straps with non-conductive adjustable hardware.

BLCT - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (475 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)
Stocked in Canada only.

NV



BLN4BD



BROWN DUCK DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Full, Nomex® taped, ankle-to-hip brass zippers with concealed closure. Elasticized shoulder straps with non-conductive adjustable hardware.

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)



BLN6BD



INSULATED BROWN DUCK BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Full, Nomex® taped, ankle-to-hip brass zippers with concealed closure. Elasticized shoulder straps with non-conductive adjustable hardware. Large, double front pocket. Double fabric on leg and thigh. Leg zippers to thigh. Quilted lining from waist to ankle.

BLN6 - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 11.5 oz. Modacrylic Quilted Lining

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)



BLC8NV



DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. Two large center front pockets with pencil stall.

BLC8 - Men's (Reg) S-5XL. (Long) M-3XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (474 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV)



CNB2RB



LIGHTWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT1 protection with innovative features for extra comfort and convenience. Multi functional utility loop inserted into shoulder seam and eight total pockets keep your tools and personal effects within reach while you work.

CNB2 - Men's (Reg) 38-54 Even. (Long) 42-52 Even. Fit Chart MFC 97.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB), Tan (TN)



CLB2KH



LIGHTWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT2 protection without added bulk. Innovative features provide extra comfort and convenience. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB2 - Men's (Reg) M-3XL. (Long) L-3XL. Fit Chart MFC 97.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Navy (NV), Royal Blue (RB)



CLB6NV



MIDWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT2 protection with innovative features for extra comfort and convenience. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB6 - Men's (Reg) M-4XL. (Long) L-4XL. Fit Chart MFC 97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV)



CEB2RD



MIDWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT2 protection with added features for comfort and convenience. Premium features like side vent openings and a deep-pleated action back provide added mobility while you work.

CEB2 - Men's (Reg) 38-54 Even. (Long) 42-52 Even. Fit Chart MFC 14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Medium Grey (GY), Red (RD)



CNB6NV



MIDWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT1 protection with innovative features for extra comfort and convenience. Eight total pockets keep your tools and personal effects within reach while you work.

CNB6 - Men's (Short - RB only) 38-48 Even. (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC 97.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Orange (OR)*, Royal Blue (RB)

*CNB6OR is stocked in Canada only.



CLC8GY



PREMIUM INSULATED COVERALL

NFPA® 2112 Compliant

Two-way, Nomex® taped brass zipper front with concealed snap closures. Two-piece, insulated, stand-up collar with concealed snap closure. Knit storm cuff in hemmed sleeve ends with hook-and-loop suppression tabs. Seven patch pockets. Action back. Reinforced knees. Full Nomex® taped ankle-to-hip brass zippers, concealed snap closure. Elastic waist inserts. Accommodates snap on hood HLH2, sold separately.

CLC8 - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC 97.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (474 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV)



CLBDOR



PREMIUM COVERALL WITH 4" REFLECTIVE TRIM

NFPA® 2112 Compliant

Men's Premium Coverall with 4" Reflective Trim. Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff.

CLBD - Men's (Reg) 40-58 Even. (Long) 46-52 Even. Fit Chart MFC 14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²
CSA Z96 Class 3 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada only.





CNBCRD



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-piece, lay flat collar, hemmed sleeve with adjustable snap closure. Deep pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping.

CNBC - Men's (Reg) 38-60 Even. (Long) 42-60 Even. Fit Chart MFC-97.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Red (RD), Royal Blue (RB)
Stocked in Canada only.



CTBANV



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping.

CTBA - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Royal Blue (RB)
Stocked in Canada only.



CNBTNV



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back.

CNBT - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-97.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Color: Navy (NV)



CTBBOR



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2" silver reflective striping.

CTBB - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

CSA Z96 Class 3 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada only.



CLBCNV



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-piece, lay flat collar, hemmed sleeve with adjustable snap closure. Deep pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping. Mic tab on left chest.

CLBC - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Orange (OR), Royal Blue (RB)
Stocked in Canada only.



CMBCRB



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping.

CMBC - Men's (Reg) 38-60 Even. (Long) 42-60 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

CSA Z96 Class 1 Level FR Compliant

Color: Royal Blue (RB)
Stocked in Canada only.





**FLAME RESISTANT (FR)/
CHEMICAL-SPLASH
PROTECTION (CP)**

These FR/CP garments bring together the latest innovations in chemical protection safety to protect wearers against multiple hazards. Flame resistant fabric prevents clothing ignition during short-duration thermal exposures. FR/CP garments also repel small amounts of liquid chemicals that are either dropped or splashed on the fabric, resisting penetration and wicking of an inadvertent, secondary liquid chemical-splash. They are also lightweight, breathable and comfortable to wear.



**MEN'S FLAME RESISTANT (FR) /
CHEMICAL-SPLASH PROTECTION (CP)
PREMIUM COVERALL**

NFPA® 2112 Compliant
Black stand up collar with concealed snap at neck. Action back. Two-way, concealed, Nomex® tape, brass, break-away zipper. Elastic waist. Snapped wrist closure. Pockets include: splash resistant side pass-through with snap closure, two front inset pockets, two rear patch pockets, two double stitched chest pockets with snap flaps.


1064 - Men's (Reg) XS-5XL. (Long) L-3XL.
Fit Chart MFC-97.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) with Westex® ShieldCXP™

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.6 calories/cm².

Colors: Navy (NV), Royal Blue (RB)





CLD4KH



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. Two angled chest pockets with flaps that conceal zipper closures.

CLD4 - Men's (Reg) 34-58. (Long) 42-58. Fit Chart MFC-14.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Sateen, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV), Royal Blue (RB)



CLD6RD



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CLD6 - Men's (Short) 38-56 Even. (Reg) 34-66 Even. (Long) 38-66 Even. (X-Long) 42-60 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Navy (NV), Red (RD)



CLZ4NV



DELUXE COVERALL

NFPA® 2112 Compliant

Two angled chest pockets with flaps that conceal zipper closures. Leg zippers. Hook-and-loop suppression tabs on sleeve and leg hems.

CLZ4 - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Sateen, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Color: Navy (NV)



CED2RB



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CED2 - Men's (Reg) M-5XL. (Long) L-4XL. Fit Chart MFC-97

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV), Orange (OR), Royal Blue (RB)



CMD6KH



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CMD6 - Men's (Reg) S-5XL. (Long) L-4XL. Fit Chart MFC-97.

Khaki: **Fabric:** Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

Navy: **Fabric:** Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)





CED4NV



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CE04 - Men's (Reg) S-5XL. (Long) S-5XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Navy (NV)

NV



CMD8HV



HI-VISIBILITY DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2" silver reflective striping.

CMD8 - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Para-Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV



CMP6NV



DELUXE COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 1/2" silver reflective striping.

CMP6 - Men's (Reg) 38-60 Even. (Long) 42-60 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV



CEH2NV



CLASSIC INDUSTRIAL COVERALL

NFPA® 2112 Compliant

Two-way, concealed, Nomex® taped, brass break-away zipper. One-piece, topstitched, lay-flat collar. Hemmed sleeves. Hemmed sleeve ends. Deep-pleated action back. Bartacked pocket flaps.

CEH2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV



CEW2VG



CLASSIC COVERALL WITH GRIPPER FRONT

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Hemmed sleeves. Six concealed grippers with gripper at neck. Two-piece, sleeve vent, gripper closure.

CEW2 - Men's (Reg) S-4XL. (Long) S-2XL. Fit Chart MFC-97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Visual Green (VG)

VG



CECWNV



WELDING COVERALL

Patch pockets at chest and hip have flaps and concealed snap closures. Waist is designed so that molten metal can not pool at the seam.

CECW - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV



CEC2OR



CECTNV



CLASSIC COVERALL

NFPA® 2112 Compliant

Two-way, concealed, Nomex® taped, brass break-away zipper. One-piece, topstitched, lay-flat collar. Hemmed sleeves.

CEC2 - Men's (Reg) 38-64 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV), Orange (OR)



CLASSIC COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way concealed Nomex® taped brass break-away zipper, concealed snap at top of zipper neck. Hemmed sleeves. Two set-in front pockets. One chest pocket. Two patch hip pockets. Side vent openings. 360° visibility with front and back 2" yellow/silver/yellow reflective striping.

CECT - Men's (Reg) 42-56. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)



KDE4SB



KEE2SB

CHEMICAL SPLASH DISPOSABLE FLAME-RESISTANT COVERALL

Attached hood. Zipper front. Elastic-cinch sleeve ends, leg ends and face openings. Limited-use disposable garments are not designed as a primary source of thermal protection and must be worn over suitable flame-resistant clothing.

KDE4 - Men's (Reg) M-5XL. Fit Chart MFC-16.

Fabric: 3 oz. (101 g/m²) 41% Wood Pulp / 34% Polyester / 25% Polyvinyl chloride with FR finish

Protection: Arc Rating N/A

Color: Sky Blue (SB)



EXTEND FR DISPOSABLE FLAME-RESISTANT COVERALL - SONTARA®

Zipper front. Full-coverage collar. Limited-use disposable garments are not designed as a primary source of thermal protection and must be worn over suitable flame-resistant clothing.

KEE2 - Men's (Reg) M-3XL. Fit Chart MFC-16.

Fabric: 2.4 oz. (81 g/m²) 55% Wood Pulp / 45% polyester with FR finish, Sontara®

Protection: Arc Rating N/A

Color: Sky Blue (SB)





OUTERWEAR

When the temps tumble, it's time to layer up. FR outerwear from Bulwark® comes in styles to suit anything Jack Frost can throw at you, from light winds to bone-chilling blizzards and everything in between. And with Bulwark innovation, you can layer on the warmth without the added bulk.

SINCE '71

JET2NV



TEAM JACKET

NFPA® 2112 Compliant

Concealed separating, heavy-duty, Nomex® taped, brass zipper. New rib knit collar. Two large, inset, welted-slash pockets. Left sleeve pocket. Updated fit.

JET2 - Men's (Reg) S-4XL. (Long) L-XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 9 oz. (305 g/m²) Twill, 100% Cotton, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 45 calories/cm²

Color: Navy (NV)



JEL2NV



ZIP-IN / ZIP-OUT JACKET

NFPA® 2112 Compliant

Separating, heavy-duty, Nomex® taped brass zipper. Two-piece, lay-flat collar. Updated cuff. Banded waist with button-close tabs. Two large inset, welted-slash pockets. Left sleeve pocket. Updated fit. Accommodates LML4 zip-in sleeved liner, sold separately.

JEL2 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²
When worn with LML4 ensemble Arc Rating is ATPV 56 calories/cm²

Color: Navy (NV)



JNT2NV



TEAM JACKET

NFPA® 2112 Compliant

Concealed separating, heavy-duty, Nomex® taped, brass zipper. New rib knit collar. Two large, inset, welted-slash pockets. Left sleeve pocket. Updated fit.

JNT2 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Lining: 9.3 oz. (315 g/m²) Quilted Aramid Insulation

Protection: Arc Rating E_{BT} 58 calories/cm²

Colors: Black (BKB)*, Navy (NV)

*Contact customer service for availability.



LML4GY



ZIP-IN / ZIP-OUT MODA-QUILT® LINER

Updated fit. Zip-in/zip-out brass Nomex® taped zipper track. Fully-insulated sleeves. Zips into JEL2, sold separately.

LML4 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant, 15.5 oz. (525 g/m²) Quilted Modacrylic Fiberfill

Protection: Arc Rating N/A. When zipped into JEL2 jacket Arc Rating is ATPV 56 calories/cm²

Color: Grey (GY)



JLP8GY



DELUXE PARKA

NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Accommodates snap-on hood HLH2, sold separately.

JLP8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV)



JNP2NV



DELUXE PARKA

NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Accommodates snap-on hood HNH2, sold separately.

JNP2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent

Lining: 14.2 oz. (480 g/m²) Aramid Insulation with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*

*Contact customer service for availability.



JLPCNV



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2, sold separately.

JLPC - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Navy (NV), Royal Blue (RB). Stocked in Canada only.



NOTE: CAT4 outerwear is not equivalent to 40 cal switching gear/flash suit and does not offer equivalent protection to workers engaged in switching and/or similar activities.

JLPSOR



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" silver reflective striping. Accommodates snap-on hood HLH2, sold separately.

JLPS - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). Stocked in Canada only.



JNPCR



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HNH2, sold separately.

JNPC - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) Water-repellent

Lining: 14.2 oz. (480 g/m²) Aramid Insulation with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Color: Royal Blue (RB). Stocked in Canada only.



HNH2NV



HLH2OR



UNIVERSAL FIT SNAP-ON INSULATED HOOD

HNH2 - Men's - One Size.

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Visit bulwark.com for fabric and protection details. Snaps to JNP2, JNPC, JNJ6 and JNJC, sold separately.

Colors: Navy (NV), Royal Blue (RB)



UNIVERSAL FIT SNAP-ON HOOD

HLH2 - Men's - One Size.

Snaps to JLJ6, JLR8, JLP8, JLPC, JLPS and CLC8, sold separately. Visit bulwark.com for fabric and protection details.

Colors: Navy (NV), Orange (OR), Royal Blue (RB)



LNL8NV



SLEEVED JACKET LINER

NFPA® 2112 Compliant

Jacket Liner with updated fit, snaps into our Lined Bomber Jackets for a heavier-weight wear option. Liners and Jackets are sold separately. Snaps into JLB6, JJJ6, JMJ6, JNJC, and JNJ6. Visit bulwark.com for fabric details.

LNL8 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-101.

Protection: Arc Rating E_{BT} 37 calories/cm²

Color: Navy (NV)



LLL8NV



LIGHTWEIGHT SLEEVED JACKET LINER

NFPA® 2112 Compliant

This lightweight CAT3 jacket liner with updated fit, snaps into JLB6, JJJ6, JMJ6, and JNJ6 jackets (sold separately), for an added layer of warmth and FR protection, only when you need it. Visit bulwark.com for fabric details.

LLL8 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-101.

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)



LNS8NV



MUST BE WORN OVER AN NFPA® 2112 COMPLIANT SHIRT



VEST JACKET LINER

NFPA® 2112 Compliant

Must be worn over an NFPA 2112 compliant shirt.

This lightweight vest jacket liner has an updated fit and snaps into our Lined Bomber Jackets for a heavier-weight wear option. Liners and Jackets are sold separately. Visit bulwark.com for fabric details.

LNS8 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-101.

Protection: Arc Rating E_{BT} 37 calories/cm²

Color: Navy (NV)



JMJ6HV



HI-VISIBILITY LINED BOMBER JACKET

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Utility loop at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" silver reflective striping. DWR (Durable Water Repellent) finish. Inside zipper guards on all zippers. Accommodates snap-on hood HMH2 and liners LNL8 and LNS8, sold separately.

JMJ6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 31 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)



JLJTNV



LINED BOMBER JACKET WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Utility loop at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2 and liner, LLL8, sold separately. DWR (Durable Water Repellent).

JLJT - Men's (Reg) S-5XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²

Color: Navy (NV). Stocked in Canada only.



JLJPOR



LINED BOMBER JACKET WITH CSA COMPLIANT REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Utility loop at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Deep-pleated action back. Elasticized waistband. 2" silver reflective striping. Accommodates snap-on hood HLH2 and liner LLL8, sold separately. DWR (Durable Water Repellent).

JLJP - Men's (Reg) S-5XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR) Stocked in Canada only.



JNJCRB



LINED BOMBER JACKET WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HNH2 and liners LNL8, LNS8, sold separately. DWR (Durable Water Repellent).

JNJC - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent

Lining: 4.5 oz. (110 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 20 calories/cm²

Color: Royal Blue (RB). Stocked in Canada only.

RB

JNJ6NV



LINED BOMBER JACKET

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. Accommodates snap-on hood HNH2 and liners LNL8, LLL8, and LNS8, sold separately. DWR (Durable Water Repellent).

JNJ6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent

Lining: 4.5 oz. (110 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) Ripstop

Protection: Arc Rating ATPV 20 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV

RB

JLR8GY



INSULATED BOMBER JACKET

NFPA® 2112 Compliant

Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH2, sold separately. DWR (Durable Water Repellent).

JLR8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (474 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV), Royal Blue (RBB)*

*Contact customer service for availability.

GY

NV

RBB

JLJ6NV



LINED BOMBER JACKET

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. Accommodates snap-on hood HLH2 and liners LNL8, LLL8, and LNS8, sold separately. DWR (Durable Water Repellent).

JLJ6 - Men's (Reg) S-6XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²

Color: Navy (NV)

NV





LLS8BD



NOT INTENDED TO BE WORN AS A SINGLE LAYER



BROWN DUCK VEST JACKET LINER

NFPA® 2112 Compliant

Concealed snap-front closure. Rib knit collar. Two large inset slash-welted pockets. One inside chest pocket. Snaps into JLB6BD jacket sold separately. DWR (Durable Water Repellent).

LLS8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Insulation: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD

VLS2BD



NOT INTENDED TO BE WORN AS A SINGLE LAYER



SHERPA LINED BROWN DUCK VEST

NFPA® 2112 Compliant

This full-zip CAT3 vest is lined with soft Sherpa fabric with a Nomex® taped brass zipper and storm flap and is NFPA® 2112 compliant. It offers excellent FR protection, with great comfort. DWR (Durable Water Repellent).

VLS2 - Men's (Reg) S-2XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water Repellent

Insulation: Flame-resistant, 13 oz. (440 g/m²) Sherpa Blend

Protection: Arc Rating E_{BT} 33 calories/cm²

Color: Brown Duck (BD)

BD

JLB6BD



BROWN DUCK LINED BOMBER JACKET

NFPA® 2112 Compliant

Flame-resistant, lay-flat collar. Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH4 and liners LLS8, LNL8 and LNS8 sold separately. DWR (Durable Water Repellent).

JLB6 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD

JLC6BD



BROWN DUCK LINEMAN'S COAT

NFPA® 2112 Compliant

Concealed, snap-front, storm flap closure. Lanyard access opening on center back, accommodates safety harness. Updated cuff construction. Accommodates snap-on hood HLH4 and vest jacket liner LLS8, sold separately. DWR (Durable Water Repellent).

JLC6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 6.5 oz. (220 g/m²) 70% Nomex® / 30% FR Lenzing®

Protection: Arc Rating ATPV 41 calories/cm²

Color: Brown Duck (BD)

BD

JLH6BD



INSULATED BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

All main seams have triple-needle topstitching. Rib knit sleeve cuffs and waistband. Concealed hook-and-loop front storm flap closure. Two large side pockets. Two inside chest pockets.

JLH6 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (185 g/m²) Quilted Modacrylic Blend Insulation

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD



JLH4BD



BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks. DWR (Durable Water Repellent).

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD



Lanyard access opening on center back, accommodates safety harness



HLH4BD



BROWN DUCK UNIVERSAL FIT SNAP-ON HOOD

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB6 and JLC6, sold separately. DWR (Durable Water Repellent).

HLH4 - Men's One size.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD



SE2BK



FULL ZIP FLEECE JACKET

NFPA® 2112 Compliant

Left napoleon chest pocket with zipper closure. Right open chest pocket with reinforced ripstop fabric. Two large hand warmer pockets with zipper closure. Full zip. Rib cuffs.

SE22 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Black (BK), Navy (NV)



SEH4CH



ZIP-FRONT HOODED SWEATSHIRT COTTON / SPANDEX BLEND

NFPA® 2112 Compliant

Hood with drawstring closure. Zipper front. Rib knit cuffs and waistband. Two patch pockets.

SEH4 - Men's (Reg) S-5XL. (Long) M-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Charcoal (CH), Navy (NV)



SEH8NV



PULLOVER HOODED FLEECE SWEATSHIRT WITH 1/4 ZIP - COTTON / SPANDEX BLEND

NFPA® 2112 Compliant

Two-ply hood with drawstring closure and 1/4 zip-front. Rib knit cuff and waistband. Side seam pockets. Raglan sleeve.

SEH8 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating E_{BT} 17 calories/cm²

Color: Navy (NV)



SEC2NV



PULLOVER CREWNECK SWEATSHIRT COTTON / SPANDEX BLEND

NFPA® 2112 Compliant

Rib knit cuff, neck and waistband. Plain front.

SEC2 - Men's (Reg) S-5XL. (Long) L-XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating E_{BT} 17 calories/cm²

Color: Navy (NV)




DWR FINISH
Durable Water
Repellent Finish
repels the elements

HOODSHIELD™
Integrated
Face Covering

DURABILITY
Double-ply fabric
in high friction
areas


HIDDEN POCKET
Hidden Internal Pocket
with zipper closure



SMM4NV



HOODSHIELD™
Integrated face covering



DWR FINISH
Durable Water Repellent
Finish repels the elements



HIDDEN POCKET
Hidden Internal Pocket
with zipper closure



MEN'S FR FLEECE HOODIE

NFPA® 2112 Compliant

A hoodie that helps you storm through the workday shielded from the elements – with everything in working order. Featuring HoodShield™ integrated face covering to shield your face from the wind and cold. A durable water repellent finish to keep you dry. Reinforced forearms that add durability where you need it most. And an oversized hand warmer pocket that includes an extra hidden internal pocket with zipper closure for secure storage.

SMM4 - Men's (Reg) S-3XL. (Long) M-3XL. Size Chart MFC-03.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)

NV



BACK

SMH4HV



HI-VISIBILITY PULLOVER HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

When hi-vis and fleece come together, the result is fewer layers and more comfort. Think of this as your favorite FR hooded sweatshirt combined with your hi-vis vest. CAT3 protection meets ANSI 107 Type R Class 3 compliance with 2" reflective striping for 360° visibility. Durable Water Repellent (DWR) Finish.

SMH4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Protection: Arc Rating ATPV 27 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMZ4HV



HI-VISIBILITY ZIP-FRONT HOODED FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

This fleece hoodie is the ultimate combination of FR protection, hi-vis compliance and comfort, for extra cold days on the job. With CAT4 protection and ANSI 107 Type R Class 3 compliance, plus waffle knit lining for an extra layer of warmth. Durable Water Repellent (DWR) Finish.

SMZ4 - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant

Shell: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Lining: Waffle, 100% FR Cotton 7.6 oz (215 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMB4HG



HI-VISIBILITY COLOR BLOCK PULLOVER FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This hooded color-blocked pullover sweatshirt is the ultimate combination of FR protection, hi-vis compliance and comfort. Made of warm, stylish fleece, lined with knit waffle. Durable Water Repellent* (DWR) Finish on Hi-Vis Yellow. *Grey fabric does not contain DWR finish.

SMB4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: (Hi-Vis Yellow) 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex. DWR finish. **(Grey)** 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex brushed fleece. No DWR finish.

Lining: Waffle, 100% FR Cotton 7.6 oz (255 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HG)

HG

SEZ4NV



THERMAL LINED ZIP-FRONT HOODED SWEATSHIRT COTTON / SPANDEX BLEND

NFPA® 2112 Compliant

Hood with drawstring closure. Full zipper front. Garment is fully lined except for pockets. Hand warmer pockets (not lined). Rib knit cuffs and waistband.

SEZ4 - Men's (Reg) S-5XL. (Long) M-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Lining: 7.6 oz. (260 g/m²) 100% Cotton Waffle Texture Knit

Protection: Arc Rating ATPV 54 calories/cm²

Color: Navy (NV)

NV

SMH6NV



ZIP-FRONT HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

Single-ply hood with drawstring closure. Zipper front. Hemmed sleeves with elastic waist. Two patch pockets. Brushed fleece on both sides.

SMH6 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 10 oz. (340 g/m²) 44% Modacrylic / 40% Wool / 11% Aramid / 5% Lyocell with DWR Finish

Protection: Arc Rating ATPV 20 calories/cm²

Color: Navy (NV)

NV

SMH8BK



FRONT ZIP FLEECE SWEATSHIRT - MODACRYLIC BLEND

NFPA® 2112 Compliant

Double sided brush fleece with reinforcement patches. Hood with drawstring, zip front and napoleon pockets.

SMH8 - Men's (Reg) S-3XL. (Long) S-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 10 oz. (340 g/m²) 44% Modacrylic / 40% Wool / 11% Aramid / 5% Lyocell with DWR Finish

Protection: Arc Rating ATPV 20 calories/cm²

Color: Black (BK)

BK



JXN4YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

JXN4 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 9.8 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



BXN4YE

MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET



HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN4 - Men's (Reg) S-6XL. Fit Chart MFC-51.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 9.8 calories/cm²
ANSI/ISEA 107 Class E
(Type R Class 3 when worn with JXN4YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



JXN6YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood. 360° visibility with front and back 1½" reflective striping. Tuck away roll-up hood.

JXN6 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit, Water-repellent

Protection: Arc Rating ATPV 8.5 calories/cm²
ANSI/ISEA 107 Type R Class 2 Compliant
(Type R Class 3 when worn with BXN6)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



BXN6YE

MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET



HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN6 - Men's (Reg) S-6XL. Fit Chart MFC-42.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit

Protection: Arc Rating ATPV 8.5 calories/cm²
ANSI/ISEA 107 Class E Compliant
(Type R Class 3 when worn with JXN6YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

KEW2VG



WORK COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves, concealed gripper take up. No exposed metal.

KEW2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-12.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Visual Green (VG)

VG

KEM2VG



MEN'S MOLTEN METAL WORK COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves. Concealed gripper take up. No exposed metal.

KEM2 - Men's (Reg) S-4XL. (Long) L-XXL.
Fit Chart MFC-12.

Fabric: Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12 calories/cm²

Color: Visual Green (VG)

VG

KEM4VG



MEN'S MOLTEN METAL ENHANCED VISIBILITY COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves. Concealed gripper take up. No exposed metal. 360° visibility with front and back. 2" yellow/silver/yellow reflective striping.

KEM4 - Men's (Reg) S-4XL. (Long) L-XXL.
Fit Chart MFC-12.

Fabric: Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12 calories/cm²

Color: Visual Green (VG)

VG

KNC2RB



MEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Slit-back hem for ease of walking.

KNC2 - Men's (Reg) XS-5XL.
Fit Chart MFC-109.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid / 5% Kevlar® / 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

KNC3RB



WOMEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Side vents at hem for ease of walking.

KNC3 - Women's (Reg) XS-3XL.
Fit Chart LFC-41.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid / 5% Kevlar® / 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB



KEL2LB



LAB COAT

NFPA® 2112 Compliant

Lapel collar. Hemmed sleeve ends. One chest pocket.

KEL2 - Men's (Reg) XS-4XL. Fit Chart MFC-12.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Color: Light Blue (LB)

LB



KNL2RDB



LAB COAT

NFPA® 2112 Compliant

Button-front closure. Lapel collar. Hemmed sleeve ends.

KNL2 - Men's (Reg) XS-4XL. Fit Chart MFC-99.

Fabric: Flame-resistant, 6 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Red (RDB)*, Royal Blue (RB)

*Contact customer service for availability.

NV RDB RB



KNL3RB



WOMEN'S LAB COAT

NFPA® 2112 Compliant

This lab coat is designed especially for women. Princess seams provide a feminine fit and it's also NFPA® 2112 compliant. A button front closure provides for easy donning and doffing and extra protection. This FR lab coat will keep you protected in the lab without getting in the way of your work.

KNL3 - Women's (Reg) XS-2XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Red (RDB)*, Royal Blue (RB)

*Contact customer service for availability.

NV RDB RB



KLL6NV



CONCEALED SNAP FRONT LAB COAT

NFPA® 2112 Compliant

Concealed snap-front closure. Lapel collar. Hemmed sleeve ends with concealed adjustable snaps. Side vent openings. Two chest pockets and two front hip pockets.

KLL6 - Men's (Reg) XS-4XL. Fit Chart MFC-99.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 88% Cotton/ 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Color: Navy (NV)

NV



KNL6RB



CONCEALED SNAP FRONT LAB COAT

NFPA® 2112 Compliant

This flame resistant lab coat has a CAT1 protection and is also NFPA® 2112 compliant. Plus, it comes equipped with concealed snap front closures for easy donning and doffing. Two chest pockets provides a place for your tools or personal effects.

KNL6 - Men's (Reg) S-4XL. Fit Chart MFC-99.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Color: Royal Blue (RB)

RB



FLAME RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP)

These FR/CP garments bring together the latest innovations in chemical protection safety to protect wearers against multiple hazards. Flame resistant fabric prevents clothing ignition during short-duration thermal incidents and emergency exposure to flame. FR/CP garments also repel small amounts of liquid chemicals that are either dropped or splashed on the fabric, resisting penetration and wicking of an inadvertent, secondary liquid chemical-splash. They are also lightweight, breathable and comfortable to wear.



MEN'S & WOMEN'S FLAME RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) LAB COATS

NFPA® 2112 Compliant

Concealed snap-front closure. Black lay flat collar for easy recognition as a CP lab coat. FR-only knit cuffs – safer than typical open cuff. Splash-resistant pass-throughs for easy inner pocket access. Pockets include one two-needle top-stitched chest pocket with pencil stall and two two-needle top-stitched lower pockets with flaps. KNR3 features tailored fit specifically for women.

KNR2 - Men's (Reg) S-5XL. Fit Chart MFC-12.
KNR3 - Women's (Reg) XS-2XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) with Westex® ShieldCXP™

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.6 calories/cm².

Color: Royal Blue (RB)

RB



WOMEN'S

FR workwear built for women? Believe it. Introducing Bulwark's newest line of FR clothing designed to fit the unique shape of a woman's body, with seaming and gusseting that contours to your shape. Because putting yourself in harm's way shouldn't require putting yourself in men's clothing.

SINCE '71

QS23NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The women's shirt features a Napoleon chest pocket for secure storage and is uniquely designed to fit a woman's body. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS23 - Women's (Reg) S-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QS51DG



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS51 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



QS53KH



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS53 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KH)



QS41KH



iQ SERIES® WOMEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

An FR shirt with a feminine look and feel? You better believe it. The iQ Series® Women's Endurance Work Shirt is made for a woman's body with princess seams at the front for a more feminine fit, but you'll still get all the protection of Bulwark® FR gear and the comfort of our iQ Series®, made exclusively with Westex G2™ fabrics by Milliken®. Full underarm gussets allow you to move freely, while pockets give you easy access to storage. And because it's part of the iQ Series Endurance line, this shirt can take as many washes as you can give it without losing its FR protection.

QS41 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



QS25RB



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The shirt is uniquely designed to fit a woman's body. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing the garment to move with you without riding up, restricting your movement or coming untucked. Napoleon chest pocket provides secure storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS25 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QS27RD



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Banded collar, snap front, vertical zipper pocket on left chest provides secure storage, multi-use utility loops in shoulder seams, full underarm gussets keep your shirt from coming untucked. Feminine fit.

QS27 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)



SLU3RBB



WOMEN'S DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, Topstitched collar. Cuffs with button closure. Button-front placket.

SLU3 - Women's (Reg) S-2XL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*, Silver Grey (SYB)*

*Contact customer service for availability.



SND3TNB



WOMEN'S DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, Topstitched collar. Cuffs with button closure. Button-front placket. Full underarm gussets.

SND3 - Women's (Reg) S-3XL.
Fit Chart LFC-02.

Fabric: Flame-Resistant, 4.5 oz (150 g/m²) 93% Nomex, 5% Kevlar Aramid, 2% Other Fiber

Protection: Arc rating ATPV 4.4 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*, Tan (TNB)*

*Contact customer service for availability.



SEG5KHB



WOMEN'S DRESS SHIRT

Banded, Topstitched collar. Cuffs with button closure. Button-front placket.

SEG5 - Women's (Reg) S-3XL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Color: Khaki (KHB)*

*Contact customer service for availability.



SNS3NVB



WOMEN'S SNAP FRONT UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, topstitched collar. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing. Multi-functional utility loop inserted into shoulder seam.

SNS3 - Women's (Reg) S-3XL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²), Nomex® Essential 93% Nomex Aramid / 5% Kevlar Aramid / 2% other Fiber

Protection: Arc rating ATPV 4.4 calories/cm²

Colors: Navy (NVB)*, Red (RD), Royal Blue (RBB)*, Tan (TNB)*

*Contact customer service for availability.



STG3CH



WOMEN'S FLEX KNIT BUTTON DOWN SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of a classic button-down with a feminine look and feel and the comfort of your favorite T-shirt. Lightweight stretch fabric flexes with your body for added comfort and range of movement.

STG3 - Women's (Reg) S-2XL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz (230 g/m²) 93% Cotton / 7% spandex

Protection: Arc rating ATPV 8.3 calories/cm²

Color: Charcoal (CH)




BANDED COLLAR
keeps you looking sharp and professional all day

TWO CHEST POCKETS
with flaps and button closure for convenient, secure storage

LIGHTWEIGHT STRETCH FABRIC
flexes with your body for added comfort and range of movement

FULL UNDERARM GUSSET
keeps your shirt tucked in



STG5NV



WOMEN'S FLEX KNIT BUTTON DOWN WORK SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Lightweight stretch fabric and side seam gussets flex with your body for added comfort and range of movement. Two chest pockets with button flaps allows for convenient storage. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site.

STG5 - Women's (Reg) S-2XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz (230 g/m²) 93% Cotton / 7% spandex

Protection: Arc rating ATPV 8.3 calories/cm²

Colors: Khaki (KH), Navy (NV)



SLS3NV



WOMEN'S CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Streamlined. Pocketless. FR. This is your go-to work shirt, with CAT2 FR protection and NFPA® 2112 compliance.

SLS3 - Women's (Reg) S-2XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Navy (NV)



SMW3HVB



WOMEN'S HI-VISIBILITY WORK SHIRT

This hi-vis work shirt combines CAT2 FR protection ANSI 107 Type R Class 2 compliancy and a professional workwear look. 2" reflective striping offers 360° visibility to keep you seen and safe.

SMW3 - Women's (Reg) S-3XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9 calories/cm²

ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HVB)*

*Contact customer service for availability.



SMS5LB



WOMEN'S CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

When your work shirt is enhanced vis, the result is fewer layers and greater comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. Features underarm gussets for increased mobility, back darts for a feminine fit, CAT2 FR protection and NFPA® 2112 compliant, with reflective striping for 360° visibility to keep you seen and safe.

SMS5 - Women's (Reg) S-2XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc rating ATPV 9 calories/cm²

Colors: Light Blue (LB), Navy (NV)



QT37OR



iQ SERIES® WOMEN'S COMFORT KNIT TEE WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

360° degree visibility with front and back 2" flame-resistant silver segmented heat seal reflective striping.

QT37 - Women's (Reg) XS-2XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada only.



STT3NV



NEW!



WOMEN'S FLEX KNIT TEE

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement. Dropped back hem presents a flattering silhouette.

STT3 - Women's (Reg) S-4XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV) // **Coming soon!** Light Blue (LB)



SEL3KHB



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Three-button placket. Knit henley collar. Rib knit cuffs.

SEL3 - Women's (Reg) S-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Khaki (KHB)*, Navy (NV)
***Contact customer service for availability.**



iQ SERIES® WOMEN'S COMFORT KNITS

QT15RD



iQ SERIES® WOMEN'S COMFORT KNIT POLO WITH 4-BUTTON PLACKET

NFPA® 2112 Compliant

Revolutionary FR workwear designed for women's bodies. The QT15 polo is designed for fit and comfort, with FR compliance, of course. The four-button placket allows you to button all the way up for maximum safety, or unbutton when you're out of the line of fire. Shirring at the back of this shirt, with a two-ply yoke creates a feminine silhouette, and the concealed rib knit cuffs stay in place all day long.

QT15 - Women's (Reg) XS-2XL.
Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BKB)*, Blue (BLB)*, Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD)

***Contact customer service for availability.**



QT31CH



iQ SERIES® WOMEN'S COMFORT KNIT TEE

NFPA® 2112 Compliant

The work tee that fits and feels like your favorite weekend tee shirt with all the FR protection your workday requires. Moisture-wicking, breathable fabric keeps you cool and comfortable, while full underarm gussets and concealed rib knit cuffs allow you to move freely throughout the day. Uniquely feminine features, like a fishtail hem and rib knit collar make this a flattering improvement upon your everyday workwear.

QT31 - Women's (Reg) XS-2XL.
Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Charcoal (CH), Dark Blue (DB), Khaki (KH)



iQ SERIES[®] LIGHTWEIGHT COMFORT PANT

QP19NV

1
TRIPLE NEEDLE OUT AND
INSEAM FOR EXTRA DURABILITY

2
CARGO POCKET WITH SNAP
CLOSURE FOR SECURE STORAGE

3
JEAN STYLE CUT

4
UTILITY POCKET ON RIGHT LEG
FOR QUICK ACCESS TO STORAGE

5
REINFORCED BACK PATCH
POCKETS AND CARGO POCKET



iQ SERIES[®] WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA[®] 2112 Compliant

Let our work pant do a little more of the lifting. The Bulwark[®] iQ Series[®] Lightweight Comfort Pant is stylishly designed to keep you cool and in command all day long. This modern, straight fit jean style work pant features a one-piece waistband with wide belt loops, scoop front pockets, reinforced cargo pocket with snap closure on the left and patch hip pockets, a utility pocket on the right side plus triple needle out and inseam for extra durability.

QP19 - Women's 0-24 Even.
Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv[™] 6.5 oz. 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.4 calories/cm²

Color: Navy (NV)

NV



QP11NV



iQ SERIES[®] WOMEN'S ENDURANCE WORK PANT

NFPA[®] 2112 Compliant

Bigger belt loops, triple-needle felled outseams and seat seam keep your act together for all day performance without the fraying. Reinforced pocket bags double down on durability. These pants feature an ultra-convenient concealed button, pocket-in-pocket, and utility loop that serves you well while you do the work. Last but not least, they feature a crotch gusset for greater freedom of movement.

QP11 - Women's (Reg) 0-24 Even.
Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 9 oz. (305 g/m²) 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 10 calories/cm²

Color: Navy (NV)

NV

QP15NV



iQ SERIES[®] WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA[®] 2112 Compliant

This iQ Series[®] Lightweight Comfort Pant is stylishly designed for women. With a more feminine cut, they'll keep you cool and in command all day long.

QP15 - Women's 0-24 Even.
Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NV)

NV

QP17RB



iQ SERIES[®] WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA[®] 2112 Compliant

This straight-fit jean style work pant features a one-piece waistband with wide belt loops and a right front belt extension loop. Scoop front pockets, patch pocket hip pockets, a double utility pocket on the right side plus a cargo pocket with snap closure on left covers your storage needs. Double articulated knees and a full crotch gusset help make bending a breeze.

QP17 - Women's 0-24 Even.
Fit Chart LFC-02.

Fabric: Exclusively with Nomex[®] Comfort fabrics by DuPont[®]. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®] / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)

NV RD RB

PNW3RBB



WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PNW3 - Women's 4-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*

*Contact customer service for availability.



PEW3KHB



WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PEW3 - Women's (Navy) 4-24. (Khaki) 2-32. Fit Chart LFC-02.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KHB)*, Navy (NV)

*Contact customer service for availability.



PMU3NV



WOMEN'S CARGO POCKET PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure. Two utility pockets. Left cargo pocket has two snap closures.

PMU3 - Women's 4-24. Fit Chart LFC-02.

Khaki:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:
Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)



PMW3NV



WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PMW3 - Women's 4-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)



PLW3BKB



WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PLW3 - Women's 0-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Black (BKB)*, Navy (NVB)*, Royal Blue (RBB)*

*Contact customer service for availability.



PSJM5D



WOMEN'S STRAIGHT FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

One-piece waistband with button closure. Five jean-style pockets. Two-needle felled inseam construction. Straight through waist. Bootcut leg opening. Contoured waistband with metal button closure (metal is not exposed to skin). Soft, pre-washed and sanded fabric.

PSJM - Women's 0-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 12.5 oz (425 g/m²) 98% cotton / 2% spandex

Protection: Arc Rating ATPV 21 calories/cm²

Color: Sanded Denim (SD)



PSJCSD



WOMEN'S CURVY FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

Lightweight fabric with stretch that makes this work jean feel like an everyday jean. Light hand sanding and whiskering gives a more fashionable appearance. Felled inseam and seat seam adds durability. Contoured waistband provides a more comfortable fit. Metal button closure (metal is not exposed to the skin). Two patch on spade shaped hip pockets. Scoop front pockets with watch pocket on right side. Zipper fly closure.

PSJC - Women's 0-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 98% Cotton / 2% Spandex

Protection: Arc Rating ATPV 21 calories/cm²

Color: Sanded Denim (SD)

SD



PEJ3DW



WOMEN'S CLASSIC FIT PRE-WASHED DENIM JEAN

NFPA® 2112 Compliant

One-piece waistband with button closure. Five jean-style pockets. Two-needle felled inseam construction. Soft pre-wash for comfort and look. Updated fit. Classic fit is traditional, sits at the natural waist and has a slimmer leg opening that will fit over boots.

PEJ3 - Women's 4-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

DW

KNL3RB



WOMEN'S LAB COAT

NFPA® 2112 Compliant

This lab coat is designed especially for women. Princess seams provide a feminine fit and it's also NFPA® 2112 compliant. A button front closure provides for easy donning and doffing and extra protection. This FR lab coat will keep you protected in the lab without getting in the way of your work.

KNL3 - Women's (Reg) XS-2XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Red (RDB)*, Royal Blue (RB)

***Contact customer service for availability.**

NV RDB RB

KNC3RB



WOMEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Side vents at hem for ease of walking.

KNC3 - Women's (Reg) XS-2XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid / 5% Kevlar® / 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

KNR3RB



WOMEN'S FLAME-RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) LAB COAT

NFPA® 2112 Compliant

Concealed snap-front closure. Black lay flat collar for easy recognition as a CP lab coat. FR-only knit cuffs - safer than typical open cuff. Splash-resistant pass-throughs for easy inner pocket access. Pockets include one two-needle top-stitched chest pocket with pencil stall and two two-needle top-stitched lower pockets with flaps. Tailored fit specifically for women.

KNR3 - Women's (Reg) XS-2XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) with Westex® ShieldCXP™

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.6 calories/cm².

Color: Royal Blue (RB)

RB



QC21DG



iQ SERIES® WOMEN'S MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC21 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



QC23RB



iQ SERIES® WOMEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

Built for comfort, this CAT1, 6 oz. coverall feels light and smooth. A patented sleeve pleat gives the arms full range of motion. Our mobility design gives plenty of room for movement and special design features in the lower torso give the wearer room to squat.

QC23 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



CNB3RD



PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT1 FR/AR protection in a coverall designed to fit women. Includes innovative features for extra comfort and convenience, like eight total pockets to keep your tools and personal effects within reach while you work.

CNB3 - Women's (Reg) XS-2XL.
Fit Chart LFC-36.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Orange (ORB)*, Red (RD), Royal Blue (RB), Tan (TNB)*

***Contact customer service for availability.**



CNB5RB



PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT1 FR/AR protection in a coverall designed to fit women. Includes innovative features for extra comfort and convenience, like eight total pockets to keep your tools and personal effects within reach while you work.

CNB5 - Women's (Reg) XS-2XL.
Fit Chart LFC-36.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



CLB3NV



PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT2 FR/AR protection without added bulk. Innovative features provide extra comfort and convenience, with sizing designed to fit women. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB3 - Women's (Reg) XS-XL.
Fit Chart LFC-36.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Navy (NV), Royal Blue (RBB)*

***Contact customer service for availability.**



CLB7KHB



PREMIUM COVERALL

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back.

CLB7 - Women's (Short) XS-2XL.
(Reg) XS-3XL. (Long) XS-3XL.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KHB)*, Navy (NVB)*, Royal Blue (RBB)*

***Contact customer service for availability.**





HOODSHIELD™
Integrated
Face Covering

**DWR
FINISH**
Durable Water
Repellent Finish
repels the elements

DURABILITY
Double-ply
fabric in high
friction areas

HIDDEN POCKET
Hidden Internal Pocket
with zipper closure



SMM5NV



WOMEN'S FR FLEECE HOODIE

NFPA® 2112 Compliant

A hoodie designed for women that helps you storm through the workday shielded from the elements – with everything in working order. Featuring HoodShield™ integrated face covering to shield your face from the wind and cold. A durable water repellent finish to keep you dry. Reinforced forearms that add durability where you need it most. Contoured design for a women's fit. And an oversized hand warmer pocket that includes an extra hidden internal pocket with zipper closure for secure storage.

SMM5 - Women's (Reg) XS-3XL. Fit Chart LFC-39.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)



JLP7NV



DELUXE PARKA

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped separating brass zipper fully covered with insulated storm flap and concealed snap closure. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Women's fit.

JLP7 - Women's (Reg) XS-2XL.
Fit Chart LFC-38.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation package: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)



SEZ3NV



WOMEN'S FULL ZIP FLEECE

NFPA® 2112 Compliant

True female fit. Enhanced storage with zipper closure pockets. Fishtail hem for coverage.

SEZ3 - Women's (Reg) XS-3XL.
Fit Chart LFC-01.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Black (BK), Navy (NV)





ACCESSORIES

////

In the world of FR, the finishing touches can mean the difference between “scot-free” and 3rd-degree. Make sure you’re protected head-to-toe with accessories that meet FR compliance standards.

////////

SINCE '71

HNB4NA



KNIT BALACLAVA

Double-layer head. Single-layer, extra long neck skirt.

HNB4 - Men's One size.

Fabric: Flame-resistant, 8.4 oz. (285 g/m²) Nomex® Knit

Protection: (Double-layer) Arc Rating ATPV 15 calories/cm²
(Single-layer) Arc Rating ATPV 6.5 calories/cm²

Color: Natural (NA)

NA

HEB2GY



BALACLAVA WITH FACE MASK

NFPA® 2112 Compliant

HEB2 - Men's One size.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating ATPV 10 calories/cm²

Colors: Grey (GY), Navy (NV)

GY

NV

HNL2NV



HARD HAT LINER & FACE MASK (SOLD SEPARTELY)

Hook-and-loop chin strap. Secures in place, button holes for four-point suspension.

HNL2 - Men's One size.

HNM2 - Men's One size. Attaches to HNL2, sold separately.

Fabric: Flame-resistant

Shell: 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Insulation package: 10 oz. (340 g/m²) 90% Aramid / 10% FR Rayon

Lining: 100% Meta-aramid

Protection: Arc Rating E_{BT} 37 calories/cm²

Color: Navy (NV)

NV

HNM2NV



HLB6LD



BANDANA & HEAD TIE

Sized to fit under hard hat. Packaged one bandana and one head tie.

HLB6 - Men's - One Size.

Fabric: Flame-resistant, 5.5 oz. (185 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.1 calories/cm²

Color: Light Denim (LD)

LD

HMC2BK



KNIT CAP

Double layers. Comfortable. Fit to wear under hard hat.

HMC2 - Men's M-L.

Fabric: Flame-resistant, 10.5 oz. (360 g/m²) Modacrylic Knit

Protection: Arc Rating E_{BT} 28 calories/cm²

Color: Black (BK)

BK

VMV4HV



HI-VISIBILITY SAFETY VEST

NFPA® 2112 Compliant

(Must be worn over NFPA® 2112 compliant shirt)

VMV4 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL.
Fit Chart MFC-18.

Fabric: Flame-Resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

KLT4NV



HW

40 CAL/CM² KIT

Kit contains hood with protective shield (HLC4NVB), hard hat and safety glasses, bib (BLC4NVB), short coat (CLC4NVB) and duffle bag (DUF4NVB). Please note that duffle bag is not flame-resistant.

KLT4 - (Reg) S-5XL.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Lining: 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 40 calories/cm²

Color: Navy (NV)

NV

CLC4NVB



CAT HW

SHORT COAT

CLC4NVB - (Reg) S-3XL.

Thigh length. Two-piece raglan sleeve. Double-layer stand-up collar.

HLC4NVB



CAT HW

HOOD WITH PROTECTIVE SHIELD

HLC4NVB - One size.

Includes ANSI/ISEA Z87.1 faceshield. Shoulder notches for stability. Fits standard hard hat.

BLC4NVB



CAT HW

BIB

BLC4NVB - (Reg) S-5XL.

Quick disconnect straps. Hook-and-loop fly closure. Covered leg zipper with gusset.

DUF4NVB



HW

DUFFLE BAG

DUF4NVB - One size.

Fabric: 100% Waterproof Nylon

Protection: N/A

***NOT FLAME RESISTANT**

FAC4BNB



REPLACEABLE FACE SHIELD

FAC4BNB - One size.

Hook-and-loop tabs placed on inside of detachable face shield for easy removal. Replaceable shield for HLC4NVB.

Protection: ANSI/ISEA Z87.1



**DECORATE IT. MODIFY IT.
CUSTOMIZE IT.**



PLAIN COVERALL
CED2NV

NORDIC STRIPE

D35 STRIPE

D50 STRIPE

HIGH / ENHANCED VISIBILITY RETRO-REFLECTIVE TRIM

Increased worker visibility can be critical when working in high-traffic areas, around equipment operations or within environments where it is crucial to be seen. Adding striping to your uniform can make a life-saving difference. The American National Standard for High-Visibility Safety Apparel is ANSI/ISEA 107. This standard specifies performance requirements including the type, location and minimum area of the retro-reflective trim, as well as the color, physical properties and minimum area of the fabric used in the construction of high-visibility garment. These performance requirements have been developed by industry experts to provide visibility of wearers in a variety of situations. We recommend following these requirements whenever possible, based on your hazard assessment. ANSI-ISEA 107 compliant garments can be found on pages 42-51.

Simply enhancing your uniform by adding retroreflective striping can also be helpful in providing improved visibility of workers. Select from many trim options, colors and placement to meet your specific worker visibility needs. This distinctive striping can be added to most Bulwark® garments. Flame-resistant striping is always used, for FR garments. The garments and striping you select should depend on the end use requirements and the method of laundering used on the garments.

Above are examples of how a plain stocked garment can be customized with three of our most popular striping configurations. With a few exceptions, stripes shown above the waist can be applied to a shirt, jacket or coverall. Stripes shown below the waist can be applied to a pant or coverall. The specific details of a garment, like the size of a pocket, the placement of closures, an emblem or an additional pocket, may dictate a slight change in the placement from what is shown in these images. Striping applied post-manufacturing will always go around a pocket or emblem. Pockets cannot be removed for reflective trim application. Stripes on a waistband will be moved up or down if the waistband has elastic sections.

Through our Imagine It® program, we have taken the capability of creating customized uniform items and apparel to a new level. Visualize it... create it... and we'll produce it. This unique program allows you to select stock apparel and modify or customize them to create uniforms that cater directly to your customer's needs. This allows many customers to purchase similar items while maintaining individual expression.

SLW2LB



EMBROIDERY & EMBLEMS

Customize your Bulwark® garments by adding a company logo or employee name and department with direct embroidery or emblems.

Thread colors are from A & E Signature threads. They have excellent color retention with a high luster finish, are strong to prevent breakage, and have very good abrasion resistance that will stand up to the rigors of industrial washing. To preserve the flame-resistant qualities of the apparel, minimize the size and number of non-FR emblems applied to a garment.

TOOLS TO GET YOU STARTED:


IMAGINE IT ONLINE CATALOG




You can find our online customization catalog at wpg.wwof.com/Information/ImagineIt. The catalog shows you a quick glance of over 100 embroidery thread color options. There is also a section outlining placement of reflective trim along with the different color options and sizes available.

CONTACT YOUR SALES REP FOR MORE INFO!

MEN'S MEASUREMENTS




WOMEN'S MEASUREMENTS



A - NECK

Measure around the base of your neck where a collared shirt would fit; or measure a collarband of a shirt that fits you well. Lay the collarband flat. Measure from the beginning of the buttonhole to the center of the button.



B - TRUNK

Measure from the base of the neck (front) down around the crotch and back up to the bottom of the collar. For coveralls only - see Diagram.

C - CHEST / BUST

Measure at the fullest part of your chest / bust. Hold the tape firmly, but not tightly. Be sure the tape is level and straight across your back. Stand naturally with your arms down by your side.

D - WAIST / MID SECTION

First, remove your belt. Then measure over shirt (not over pants) at the position you normally wear your pants. Hold the tape firmly, but not tightly. Note - For shirts and coveralls, measure the largest portion of the mid-section.

E - HIPS

Stand with your heels together. Measure around the fullest part of the hips. Hold the tape measure straight and level.

F - THIGH

Measure the circumference of the upper leg close to the crotch (approximately 1" below crotch).

G - KNEE

With the leg straight, measure the knee circumference over the knee cap and parallel to the floor.

H - CALF

Measure the circumference of the largest part of the lower leg approximately half way between the knee and ankle and parallel to the floor.

I - ANKLE

Measure the ankle circumference over the ankle bone and parallel to the floor.

J - UPPER ARM / BICEP

Measure the maximum circumference of the upper arm just below the underarm.

K - FOREARM

Measure the maximum circumference of the forearm at approximately 6" above the wrist.

L - CAP / HAT SIZE

Measure the circumference of the head at its widest diameter, approximately 1/8" above the ears.

M - SLEEVE

Bend the elbow as shown (see M). Start at the center back neck and measure across shoulder to the elbow and down to the wrist bone.

N - ACROSS SHOULDER

While standing with arms down, measure across the back from one shoulder joint to the other.

O - WRIST


Measure the wrist circumference over the wrist bone.

P - HEIGHT

Stand straight against a wall without your shoes. Make a mark level with the top of your head. Measure from this point down to the floor.

Q - INSEAM

Standing straight, measure the distance from the crotch to just below the ankle bone. **Or** - using similar style pants that fit you well; lay garment flat and with the front and back creases smooth. Measure the inside seam of one leg from the bottom of the hem to the crotch (see Qb).



R - OVERARM (BLAZERS)

With arms at the sides, measure around the broadest part of the shoulders and upper arms, keeping the tape level at all times. If overarm is more than 7" larger than the chest, go up one size.

S - OUTSEAM

Measure along the outside of the leg from the top of the waistband to the bottom of the hem or just below the ankle bone.

Sa - OUTSEAM ON GARMENT


On an existing garment: lay garment flat, measure along the outseam from the top of the band to the bottom hem.



T - FRONT AND BACK RISES

Front - this is the distance from the center front at the top of the waistband to the intersection of the crotch seam.

Back - this is the distance from the center back waistband to the intersection of the crotch seams.



LFC-01	XS		S		M		L		XL		XXL		3XL		4XL	
Size	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	31½	32½	33½	34½	35½	36½	38	39½	41½	43½	45½	47½	49½	51½	53½	55½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Waist	23½	24½	25½	26½	27½	28½	30	31½	33	35	37	39	41	43	45	47
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Hip	33	34	35	36	37	38	39½	41	42½	44½	46½	48½	50½	52½	54½	56½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	33½	34½	35½	36½	37½	39	40½	42	44	46	48	50	52	54	56	58

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-02	XS		S		M		L		XL		XXL		3XL		4XL		
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	32	33	34	35	36	37	38	39½	41	42½	44½	46½	48½	50½	52½	54½	56½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Waist	25	26	27	28	29	30	31	32½	34	35½	37½	39½	41½	43½	45½	47½	49½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Hip	34½	35½	36½	37½	38½	39½	40½	42	43½	45	47	49	51	53	55	57	59
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	35½	36½	37½	38½	39½	40½	42	43½	45	47	49	51	53	55	57	59	61

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-05	XS		S		M		L		XL		XXL		3XL		4XL		
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	30¾	32¾	33¾	35¾	36¾	38¾	39¾	41¾	42¾	44¾	45¾	47¾	48¾	50¾	51¾	53¾	54¾
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Hip	31¾	33¾	34¾	36¾	37¾	39¾	40¾	42¾	43¾	45¾	46¾	48¾	49¾	51¾	52¾	54¾	55¾
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	33	34½	36	37½	39	40½	42	43½	45	46½	48	49½	51	52½	54	55½	57

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-36	XXS		XS		S		M		L		XL		XXL		3XL		4XL		5XL		6XL	
Size	00	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
Bust	31¼	32¼	33¼	34¼	35¼	36¼	37¼	38¼	39¼	41¼	43¼	45¼	47¼	49¼	51¼	53¼	55¼	57¼	59¼	61¼	63¼	65¼
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Waist	28½	29¼	30	31	32	33	34	35½	37½	39½	42	44¼	46¼	49¼	51¼	54¼	56¼	59¼	61¼	64¼	66¼	69¼
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Hip	34½	35¼	36¼	37¼	38¼	39¼	40¼	41¼	42¼	44¼	46¼	48¼	50¼	52¼	54¼	56¼	58¼	60¼	62¼	64¼	66¼	68¼
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	35	36	37	38	39	40	41	42½	44	46	48	50	52	54	56	58	60	62	64	66	68	70

Height: Short: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7"-5'11"

LFC-38	XXS	XS		S		M		L		XL		XXL		3XL		4XL		5XL		6XL	
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
Bust	32	33	34	35	36	37	38	39½	41	43	45	47	49	51	53	55	57	59	61	63	65
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Waist	25	26	31	32	33	34	35½	37½	39¼	42	44	46	49	51	53	55	57	59	61	63	65
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Hip	34½	35½	36½	37½	38½	39½	40½	42	44	46	48	50¼	52¼	54¼	57	59¼	61¼	63¼	66	68¼	70½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	35½	36½	37½	38½	39½	40½	42	44	46	48	50¼	52¼	54¼	57	59½	61½	63½	66	68¼	70½	72¼

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-39	XXS	XS		S		M		L		XL		XXL		3XL		4XL		5XL	
Chest	26½	29½	32½	35½	38½	41½	45	48½	52	55½									
Chest	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓									
	29	32	35	38	41	44½	48	51½	55	58½									
Hip	28½	31½	34½	37½	40½	43½	47	50½	54	57½									
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓									
	31	34	37	40	43	46½	50	53½	57	60½									

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-41	XXS	XS		S		M		L		XL		2XL		3XL		4XL		5XL	
Chest Size	29¾ - 31½	31¾ - 33½	33¾ - 35½	35¾ - 38	38¾ - 41	41¾ - 45	45¾ - 49	49¾ - 53	53¾ - 57	57¾ - 61									
Chest Size	30¾ - 32½	32¾ - 34½	34¾ - 36½	36¾ - 39	39¾ - 42	42¾ - 46	46¾ - 50	50¾ - 54¼	54¾ - 59	59¾ - 63½									

PANT SIZE CHART M (SPECIFY WAIST & INSEAM)

WAIST	4	6	8	10	12	14	16	18	20
30	▲	▲	▲	▲	▲	▲	▲	▲	▲
32	▲	▲	▲	▲	▲	▲	▲	▲	▲
35U	▲	▲	▲	▲	▲	▲	▲	▲	▲

MFC-03	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
Chest	29	32	35	38	41	45	49½	54	58½	63	67½	72	76½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	32	35	38	41	45	49½	54	58½	63	67½	72	76½	81

Height: Regular: up to 5'11" Tall: over 5'11"

MFC-07	S	M	L	XL	XXL	3XL	4XL	5XL
Neck	13%	14%	15%	16%	17%	18%	19%	20%
	↓	↓	↓	↓	↓	↓	↓	↓
	14½	15½	16½	17½	18½	19½	20½	21½
Chest	32½	36½	40½	44½	48½	52½	56½	60½
	↓	↓	↓	↓	↓	↓	↓	↓
	36	40	44	48	52	56	60	64
Max. Waist	35%	39%	44%	48%	52%	56%	60%	64%
Sleeve Length*	32	Regular Back Length						
	33	Regular Back Length						
	34	Regular Back Length plus 1½"						
	35	Regular Back Length plus 1½"						
	36	Regular Back Length plus 4"						
	37	Regular Back Length plus 4"						
	SS	Regular Back Length						
	SSL	Regular Back Length plus 4"						

* Sleeve Length is based on actual body measurement. Body length varies accordingly as shown above.

MFC-10	S	M	L	XL	XXL	3XL	4XL	5XL
Neck	13% - 14½	14% - 15½	15% - 16½	16% - 17½	17% - 18½	18% - 19½	19% - 20½	20% - 21½
Chest	32½ - 36	36½ - 40	40½ - 44	44½ - 48	48½ - 52	52½ - 56	56½ - 60	60½ - 64
Max. Waist	35%	39%	44%	48%	52%	56%	60%	64%
Sleeve Length*	RG	33	33½	34	34½	35	35	35
	LN	35½	35½	36	36	36	36	36
	XLN	37	37	37	37	37	37	37
Back Length	RG	Regular Back Length						
	LN	Regular Back Length plus 1½"						
	XLN	Regular Back Length plus 4"						
	SS	Regular Back Length						
	SSL	Regular Back Length plus 4"						

* Sleeve Length is based on actual body measurement. Body length varies accordingly as shown above.

MFC-12	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
Chest Size	32	34	36	38	40	42	44	46	48	50	52	54
Chest Max.	32	34	36	38	40	42	44	46	48	50	52	54
	56	58	60	62	64	66	68	70	72	74	76	78

NOTE: If waist size is larger than chest size, use waist measurement as size. Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'5"

MFC-13	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
Chest Size	34½	36½	38½	40½	42½	44½	46½	48½	50½	52½	54½	56½	58½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	36	38	40	42	44	46	48	50	52	54	56	58	60

MFC-14	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	
Size	30	32	34	36	38	40	42	44	46	48	50	52
Chest	28½	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	30	32	34	36	38	40	42	44	46	48	50	52
Chest	54½	56½	58½	60½	62½	64½	66½	68½	70½	72½		
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
	56	58	60	62	64	66	68	70	72			
Waist Max	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½	52½

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'5"

MFC-15	XS	S	M	L	XL	XXL	3XL	4XL	5XL			
Size	30	32	34	36	38	40	42	44	46	48	50	52
Chest	28½	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	30	32	34	36	38	40	42	44	46	48	50	52
Chest	54½	56½	58½	60½	62½	64½	66½	68½	70½	72½		
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
	56	58	60	62	64	66	68	70	72			
Waist Max	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½	52½

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'5"

MFC-16	XS	S	M	L	XL	XXL	3XL	4XL	5XL
Chest Size	33½	36½	39½	42½	45½	48½	51½	54½	57½
	↓	↓	↓	↓	↓	↓	↓	↓	↓
	36	39	42	45	48	51	54	57	60

MFC-17	XS	S	M	L	XL	XXL	3XL	4XL	5XL
Chest Max.	34	36	40	44	48	50	52	54	56

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-18	M	L	XL	XXL	3XL	4XL	5XL	7XL
Chest Max.	40	44	48	50	52	54	56	60

MFC-24	XS		S		M		L		XL		XXL		3XL		4XL		5XL	
Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Chest Size	30½ ↓ 32	32½ ↓ 34	34½ ↓ 36	36½ ↓ 38	38½ ↓ 40	40½ ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58	58½ ↓ 60	60½ ↓ 62	62½ ↓ 64	64½ ↓ 66
Waist Max	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½	64½

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" XLong: 6'3"-6'5"

MFC-42	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
Waist Max	35	38	41	45	49	53	57	61	64½	68½

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-46	S	M	L	XL	2XL	3XL	4XL	5XL
Neck	13% - 14½	14% - 15½	15% - 16½	16% - 17½	17% - 18½	18% - 19½	19% - 20½	20% - 21½
Chest	34½ - 38	38½ - 42	42½ - 46	46½ - 50	50½ - 53	53½ - 56	56½ - 59	59½ - 62
Max. Waist	36	40	44	48	51½	55	58½	62
Sleeve Length	RG	34¼	34¼	35¼	35¼	36¼	36¼	37¼
	LN	35¼	36¼	36¼	37¼	37¼	38¼	39¼
	XLN	37¼	37¼	38¼	38¼	39¼	39¼	40¼
Back Length	RG	Regular Back Length						
	LN	Regular Back Length plus 1½"						
	XLN	Regular Back Length plus 4"						
	SS	Regular Back Length						
	SSL	Regular Back Length plus 4"						

MFC-51	S	M	L	XL	XXL	3XL	4XL	5XL
Waist Max	33	36	39	42	45	48	51	54

MFC-52	S	M	L	XL	XXL	3XL	4XL	5XL
Waist Max	39	42	45	48	51	54	57	60

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-53	S	M	L	XL	XXL	3XL	4XL	5XL
Waist Max	35	39	43	47	51	55	59	63

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-77	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck	14% ↓ 15%	15% ↓ 16%	16% ↓ 17%	17% ↓ 18%	18% ↓ 19%	19% ↓ 20%	20% ↓ 21%	21% ↓ 22%	22% ↓ 23%
	34½ ↓ 38	38½ ↓ 42	42½ ↓ 46	46½ ↓ 50	50½ ↓ 54	54½ ↓ 58	58½ ↓ 62	62½ ↓ 66	66½ ↓ 70
Chest									
Max. Waist	35½	40	44½	49	53	57	61	65	69
Sleeve Length	RG	34¼	34¼	35¼	35¼	36¼	36¼	36¼	36¼
	LN	36¼	36¼	36¼	36¼	36¼	36¼	36¼	36¼
	XLN	37¼	37¼	37¼	37¼	37¼	37¼	37¼	37¼
Back Length	RG	Regular Back Length							
	LN	Regular Back Length plus 1½"							
	XLN	Regular Back Length plus 4"							
	SS	Regular Back Length							
	SSL	Regular Back Length plus 4"							

MFC-81	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL											
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Chest Size	28½ ↓ 30	30½ ↓ 32	32½ ↓ 34	34½ ↓ 36	36½ ↓ 38	38½ ↓ 40	40½ ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58	58½ ↓ 60	60½ ↓ 62	62½ ↓ 64	64½ ↓ 66	66½ ↓ 68	68½ ↓ 70	70½ ↓ 72
Waist Max	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½	64½	66½	68½	70½	72½

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" XLong: 6'3"-6'5"

MFC-97	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL											
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Chest	29½ ↓ 31	31½ ↓ 33	33½ ↓ 35	35½ ↓ 37	37½ ↓ 39	39½ ↓ 41	41½ ↓ 43	43½ ↓ 45	45½ ↓ 47	47½ ↓ 49	49½ ↓ 51	51½ ↓ 53	53½ ↓ 55	55½ ↓ 57	57½ ↓ 59	59½ ↓ 61	61½ ↓ 63	63½ ↓ 65	65½ ↓ 67	67½ ↓ 69	69½ ↓ 71	71½ ↓ 73
Waist Max	26½	28½	30½	32½	34½	36½	38½	41	43½	45½	47½	50	52½	54½	56½	59	61½	63½	65½	68	70½	72½

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'5"

MFC-99	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL											
Chest Size	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78
Chest Max	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78	80

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'7" *NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-100	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL
Chest	29½ ↓ 33	33½ ↓ 37	37½ ↓ 41	41½ ↓ 45	45½ ↓ 49	49½ ↓ 53	53½ ↓ 57	57½ ↓ 61	61½ ↓ 65	65½ ↓ 69	69½ ↓ 73	73½ ↓ 77

MFC-101	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
Chest	29½ ↓ 33	33½ ↓ 37	37½ ↓ 41	41½ ↓ 45	45½ ↓ 49	49½ ↓ 53	53½ ↓ 57	57½ ↓ 61	61½ ↓ 65	65½ ↓ 69
Waist Max	29	33	37	41	45	49	53	57	61	65

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'5"

MFC-102	M	L
Men's Shoe	4-7½	8-12½
Women's Shoe	5½-9½	10-13
Foot Length	8½-10	10-11½

MFC-112	XXS	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL
Chest Size	33 ¼ ↓ 34	34 ¼ ↓ 35	35 ¼ ↓ 36	36 ¼ ↓ 37	37 ¼ ↓ 41	41 ¼ ↓ 45	45 ¼ ↓ 49	49 ¼ ↓ 55	55 ¼ ↓ 59	59 ¼ ↓ 67	67 ¼ ↓ 73	73 ¼ ↓ 81	81 ¼ ↓ 87

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" XLong: 6'3"-6'5"

*Note: If waist size is larger than chest size, use waist measurement as size.

PANT SIZE CHART A (SPECIFY WAIST & INSEAM)

WAIST	28	30	32	34	36	38	40	42	44	46	48	50
37 UNF	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

PANT SIZE CHART B (SPECIFY WAIST & INSEAM)

WAIST	28	29	30	31	32	33	36	38	40	42	44	46	48	50
36 UNF	▲	▲					▲	▲	▲	▲	▲	▲	▲	▲
37 UNF			▲	▲	▲	▲	▲	▲						

PANT SIZE CHART G (SPECIFY WAIST & INSEAM)

WAIST	28	30	32	34	36	38	40	42	44
36 UNF	▲						▲	▲	▲
37 UNF		▲	▲	▲	▲	▲			

PANT SIZE CHART H (SPECIFY WAIST & INSEAM)

WAIST	28	30	31	32	33	34	35	36	38	40	42	44	46	48	50
37 UNF	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

PANT SIZE CHART I (SPECIFY WAIST & INSEAM)

WAIST	28	29	30	31	32	33	34	35	36	38	40	42	44	46
30					▲	▲	▲		▲	▲	▲	▲	▲	▲
32			▲		▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
34			▲		▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
36					▲	▲	▲		▲	▲	▲	▲	▲	▲
38									▲					

PANT SIZE CHART J (SPECIFY WAIST & INSEAM)

WAIST	30	31	32	33	34	35	36	38	40	42	44	46	48	50	52	54
30	▲	▲	▲	▲	▲		▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
32	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
34	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
36	▲	▲	▲	▲	▲		▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

PANT SIZE CHART K (SPECIFY WAIST & INSEAM)

WAIST	28	29	30	31	32	33	34	35	36	38	40	42	44	46	48	50	52	54	56
37 UNF	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

PANT SIZE CHART L (SPECIFY WAIST & INSEAM)

WAIST	30	32	33	34	32	35	36	38	40	42	44	46	48	50
30	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
32	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
34	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
36		▲	▲	▲	▲	▲	▲	▲	▲	▲	▲			
38		▲	▲	▲	▲	▲	▲	▲						

POLICY STANDARD TERMS & CONDITIONS OF SALE

Please refer to our website at www.bulwark.com for Standard Terms and Conditions of Sale, or call:

USA: 1-800-223-3372
 Canada: 1-800-667-0700
 Distributors: 1-800-733-5271

INVENTORY & CATALOG UPDATES

Not all sizes for a particular garment identified in this catalog are maintained in inventory. Upon receipt of your order, you will be provided an estimated shipping date.

PRODUCT RETURNS

For latest information, visit our website at www.bulwark.com. Prior authorization for returns may be obtained by calling Customer Care: USA: 1-800-223-3372 and Canada: 1-800-667-0700. For Distributors, call 1-800-733-5271.

PAYMENT TERMS

Refer to Standard Terms and Conditions of Sale.

CUSTOMIZATION

Bulwark® offers several options for customizing your garments from stock. See your Bulwark® Product Guide or inquire for details on pricing.

HEMMING

Refer to your Bulwark® Product Guide. For latest information visit our website at www.bulwark.com.

GARMENT CARE

Refer to the care label in your Bulwark® apparel. For latest information, visit our website at www.bulwark.com.

PRODUCT SPECIFICATIONS

All trademark and logos shown in this catalog are for the product illustration only and are not available to a customer, nor are they an endorsement by or for any person or other entity. At time of order, please provide the appropriate proof of authorization for your use of trademark's copyrights, patents and other intellectual property.

Bulwark garments are not intended for fire entry, structural or wildlands fire fighting activities and, unless otherwise indicated, provide no protection from chemical exposures. They should be removed at once if fouled with flammable material. To prevent generation of potentially hazardous static electricity, do not don or remove any garments in a hazardous area.

Bulwark® garments are not intended for personal, family or household use as defined in the Manguson-Moss Warranty Act, 15 U.S.C. 2301-2312. For latest information, visit our website at www.bulwark.com.

ARC RATINGS

Arc ratings published in this catalog are supplied to us by our fabric suppliers or are the result of our own arc testing. An arc rating can be reported in cal/cm² as either ATPV or E_{BT} and is the incident energy at which there is 50% probability of occurrence of a second degree burn or of fabric breakopen, respectively. As with all tests, some level of variation in test results is normal and expected among fabrics of identical fiber content and nominal weight. In order to assist end users with their hazard analysis by providing the most conservative arc rating, Bulwark® will publish the lowest arc rating for that fabric weight in our catalog and on our garment label.

Bulwark® garments are designed for continuous wear. They meet applicable standards such as NFPA® 2112, Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposures from Fire, ASTM F2302, Standard Performance Specification for Labeling Protective Clothing as Heat and Flame Resistant, National Fire Protection Association (NFPA®) Standard 70E, Standard for Electrical Safety in the Workplace, ASTM F1506, Standard Performance Specification For Flame Resistant And Electric Arc Rated Protective Clothing Worn By Workers Exposed To Flames And Electric Arcs. Refer to individual garment labels to confirm compliance with specific performance standards. Because these fabrics are flame-resistant, they are acceptable under the Occupational Safety & Health Administration (OSHA) Final Rule 1910.269. Final Rule on Electrical Protective Equipment. For complete information on these products, as well as laundering instructions, please visit bulwark.com.

Bulwark®, CoolTouch® 2, EXCEL FR®, ComforTouch®, iQ Series®, Imaginelt®, and HoodShield™ are registered trademarks of Workwear Outfitters, LLC. Nomex®, Kevlar® and Sontara® are registered trademarks of E.I. duPont de Nemours and Company. TenCate Evolv™ and TECASAFE® PLUS are trademarks of TenCate Protect bv. Lenzing FR® is a registered trademark of Lenzing® Aktiengesellschaft. Molten Metal® is a registered trademark of Revlon Consumer Products Corporation. NFPA® is a registered trademark of National Fire Protection Association. UL is a registered trademark of UL, LLC. Westex G2™, ShieldCXP™ and Moda-Quilt® are registered trademarks of Milliken®. Insect Shield® is a registered trademark of Insect Shield LLC.

40 CAL KIT

BLC4NVB.....	161
CLC4NVB.....	161
DUF4NVB.....	161
FAC4BNB.....	161
HLC4NVB.....	161
KLT4NV.....	160

ACCESSORIES

HEB2GY.....	158
HEB2NV.....	158
HLB6LD.....	159
HLH2NV.....	113
HLH2OR.....	113
HLH2RB.....	113
HLH4BD.....	39, 121
HMC2BK.....	159
HNB4NA.....	158
HNH2NV.....	113
HNH2RB.....	113
HNL2NV.....	158
HNM2NV.....	158
VMS4HV.....	48
VMV4HV.....	48, 159

BASE LAYERS

MPS4GY.....	79
MPS4KH.....	79
MPS8GY.....	79
MPS8KH.....	79

BIB OVERALLS

BLC8GY.....	94
BLC8NV.....	94
BLCSOR.....	93
BLC2NV.....	93
BLF6BD.....	40, 92
BLF8BD.....	40, 92
BLF8NV.....	40, 92
BLN4BD.....	40, 94
BLN6BD.....	41, 94
BNF8NV.....	92
BNF8RBB.....	92
BNNTRB.....	93

COVERALLS

1064NV.....	101
1064RB.....	101
CEB2GY.....	96
CEB2RD.....	96
CEC2KH.....	106
CEC2NV.....	106
CEC2OR.....	106
CECTNV.....	106
CECWNV.....	105
CED2KH.....	103
CED2NV.....	103
CED2OR.....	103
CED2RB.....	103
CED4NV.....	104
CEH2NV.....	105
CEW2VG.....	105
CLB2KH.....	95
CLB2NV.....	95
CLB2RB.....	95
CLB3KH.....	153
CLB3NV.....	153
CLB3RBB.....	153
CLB6NV.....	95
CLB7KHB.....	153
CLB7NVB.....	153
CLB7RBB.....	153
CLBCNV.....	99
CLBCOR.....	99
CLBCRB.....	99
CLBDOR.....	97
CLC8GY.....	97
CLC8NV.....	97
CLD4GY.....	102
CLD4KH.....	102
CLD4NV.....	102
CLD4RB.....	102
CLD6GY.....	102
CLD6NV.....	102
CLD6RD.....	102
CLZ4NV.....	103
CMBCRB.....	99
CMD6KH.....	103
CMD6NV.....	103
CMD8HV.....	49, 104

CMP6NV.....	104
CNB2NV.....	95
CNB2RB.....	95
CNB2RD.....	95
CNB2TN.....	95
CNB3NV.....	152
CNB3ORB.....	152
CNB3RB.....	152
CNB3RD.....	152
CNB3TNB.....	152
CNB5NV.....	153
CNB5RB.....	153
CNB5RD.....	153
CNB6NV.....	97
CNB6OR.....	97
CNB6RB.....	97
CNBCNV.....	98
CNBCRB.....	98
CNBCRD.....	98
CNBTNV.....	98
CTBANV.....	98
CTBARB.....	98
CTBBOR.....	99

DISPOSABLES

KDE4SB.....	107
KEE2SB.....	107

INSECT SHIELD

ISLSCH.....	54
PEJ8DI.....	56
PSJ4SI.....	56
QC20DI.....	57
QC21DI.....	57
QP14BI.....	56
QP14NI.....	56
QP15NI.....	56
QS50DI.....	54
QS51DI.....	54
QS52BI.....	54
QS52GI.....	54
QS52KI.....	54
QS53KI.....	54
QT20CI.....	55
QT31CI.....	55
SMK8HI.....	55

iQ SERIES®

QC10GY.....	32
QC10NV.....	32
QC20DG.....	25
QC20DI.....	57
QC20EV.....	25
QC20NE.....	25
QC20NV.....	25
QC21DG.....	25, 152
QC21DI.....	57
QC21NV.....	25, 152
QC22NE.....	27
QC22NV.....	27
QC22RB.....	27
QC22RD.....	27
QC22RE.....	27
QC23NV.....	27, 152
QC23RB.....	27, 152
QC23RD.....	27, 152
QC24NV.....	26
QC24RB.....	26
QP10NV.....	33
QP11NV.....	33, 147
QP14BK.....	23
QP14BI.....	56
QP14NE.....	23
QP14NI.....	56
QP14NV.....	23
QP15NI.....	56
QP15NV.....	23, 147
QP16NV.....	22
QP16RB.....	22
QP16RD.....	22
QP17NV.....	22, 147
QP17RB.....	22, 147
QP17RD.....	22, 147
QP18NV.....	21
QP19NV.....	21, 146
QS23NV.....	13, 138
QS23RB.....	13, 138
QS24BN.....	13
QS24NV.....	13
QS24RB.....	13
QS25NV.....	16, 139
QS25RB.....	16, 139

QS26NE.....	16
QS26NV.....	16
QS26RB.....	16
QS26RE.....	16
QS27RD.....	15, 139
QS28RD.....	15
QS40GE.....	30
QS40GY.....	31
QS40KH.....	31
QS40LB.....	31
QS40NE.....	30
QS40NV.....	31
QS41GY.....	31, 139
QS41KH.....	31, 139
QS41NV.....	31, 139
QS42GY.....	29
QS42KH.....	29
QS42NV.....	29
QS50DG.....	14
QS50DI.....	54
QS50EV.....	13
QS50NE.....	13
QS50NV.....	14
QS51DG.....	14, 138
QS51DI.....	54
QS51NV.....	14, 138
QS52BI.....	54
QS52GI.....	54
QS52KH.....	14
QS52KI.....	54
QS52LG.....	14
QS53KH.....	15, 138
QS53KI.....	54
QT12BK.....	19
QT12BL.....	19
QT12CH.....	19
QT12DB.....	19
QT12KH.....	19
QT12RD.....	19
QT15BK.....	20, 145
QT15BL.....	20, 145
QT15CH.....	20, 145
QT15DB.....	20, 145
QT15KH.....	20, 145
QT15RD.....	20, 145
QT20BK.....	18
QT20BL.....	18
QT20CH.....	18
QT20CI.....	55
QT20DB.....	18
QT20KH.....	18
QT20RD.....	18
QT30BK.....	19
QT30BL.....	19
QT30CH.....	19
QT30DB.....	19
QT31CH.....	20, 145
QT31CI.....	55
QT31DB.....	20, 145
QT31KH.....	20, 145
QT32BK.....	19
QT32BL.....	19
QT32CH.....	19
QT32DB.....	19
QT32KH.....	19
QT32RD.....	19
QT34OR.....	17
QT37OR.....	17, 144
QT40CH.....	17
QT40KH.....	17

PANTS & JEANS

PEJ2DD.....	85
PEJ3DW.....	150
PEJ4DW.....	85
PEJ6SW.....	82
PEJ8DI.....	56
PEJ8DW.....	84
PEJ8SW.....	84
PEJM5D.....	82
PEM2VG.....	89
PEW2KH.....	89
PEW2KHB.....	89
PEW2NV.....	89
PEW2ORB.....	89
PEW2RBB.....	89
PEW2VG.....	89
PEW3KHB.....	148
PEW3NV.....	148
PLC2NV.....	87
PLJ6KH.....	41, 86
PLJ6NV.....	41, 86
PLJ8BD.....	41, 87
PLJ8NV.....	41, 87
PLW2NV.....	89
PLW2RBB.....	89
PLW2RD.....	89
PLW3BKB.....	149
PLW3NVB.....	149
PLW3RBB.....	149
PMU2KH.....	88
PMU2NV.....	88
PMU3KH.....	148
PMU3NV.....	148
PMW2NV.....	88
PMW3NV.....	149
PNJ8RB.....	85
PNW2NV.....	88
PNW2RB.....	88
PNW2RD.....	88
PNW3NVB.....	148
PNW3RBB.....	148
PSJ2SD.....	83
PSJ4SD.....	83
PSJ4SI.....	56
PSJ6SD.....	83
PSJCSD.....	150
PSJMSD.....	149

JACKET LINERS

LLL8NV.....	114
LLS8BD.....	36, 118
LNL8NV.....	114
LNS8NV.....	114
LML4GY.....	111

LAB COATS

KEL2LB.....	132
KEM2VG.....	130
KEM4VG.....	130
KEW2VG.....	130
KLL6NV.....	133
KNC2RB.....	131
KNC3RB.....	131, 151
KNL2NV.....	132
KNL2RB.....	132
KNL2RDB.....	132
KNL3NV.....	132, 151
KNL3RB.....	132, 151
KNL3RDB.....	132, 151

KNL6RB.....	133
KNR2RB.....	135
KNR3RB.....	135, 151

OUTERWEAR

JET2NV.....	110
JEL2NV.....	111
JLB6BD.....	37, 119
JLC6BD.....	37, 119
JLH4BD.....	39, 121
JLH6BD.....	38, 120
JLJ6NV.....	117
JLJTNV.....	115
JLJPOR.....	115
JLP7NV.....	155
JLP8GY.....	112
JLP8NV.....	112
JLPCNV.....	112
JLPCRB.....	112
JLPSOR.....	113
JLR8GY.....	116
JLR8NV.....	116
JLR8RBB.....	116
JMJ6HV.....	47, 115
JNJ6NV.....	116
JNJ6RB.....	116
JNJCRB.....	116
JNP2NV.....	112
JNP2RBB.....	112
JNPCRB.....	113
JNT2BKB.....	110
JNT2NV.....	110
VLS2BD.....	37, 119

SHIRTS

SAW2CHB.....	72
SEG2LD.....	66
SEG5KHB.....	140
SEG6LB.....	67
SEK2NV.....	76
SEL2CH.....	78
SEL2KH.....	78
SEL2LB.....	78
SEL2NV.....	78
SEL2OR.....	78
SEL3KHB.....	144
SEL3NV.....	144
SEL4NK.....	77
SES2NVB.....	60
SES2RB.....	60
SES2TN.....	60
SET2CH.....	73
SET2NV.....	73
SET8CH.....	73
SET8NV.....	73
SEU3WBB.....	141
SEW2KH.....	71
SEW2LB.....	71
SEW2NV.....	71
SEW2SY.....	71
SLATOR.....	64
SLB4HG.....	44, 65
SLD6NK.....	63
SLDTGY.....	63
SLDTKH.....	63
SLDTLB.....	63
SLDTNV.....	63
SLEVKH.....	64
SLEVLB.....	64
SLEVVN.....	64
SLP2KH.....	67
SLS2LB.....	71
SLS2NV.....	71
SLS3NV.....	143
SLU2GY.....	66
SLU2KH.....	66
SLU2LB.....	66
SLU2NV.....	66
SLU2RB.....	66
SLU2SY.....	66
SLU3KH.....	140
SLU3LB.....	140
SLU3NV.....	140
SLU3ORB.....	140
SLU3RBB.....	140
SLU3SYB.....	140
SLU8GY.....	62
SLU8KH.....	62
SLU8LB.....	62
SLU8NV.....	62
SLU8OR.....	62
SLUCNV.....	65
SLUSOR.....	64
SLW2GY.....	67
SLW2KH.....	67
SLW2LB.....	67
SLW2NV.....	67
SLW2ORB.....	67
SLW2RBB.....	67
SMB2HN.....	45
SMK8HV.....	45
SMK8HI.....	55



BULWARK.COM



BULWARK.COM

Bulwark®, a brand of Workwear Outfitters, LLC 23-4059